

APL

AERIAL PLATFORMS

PRODUCT GUIDE



0800 085 3709

WWW.AERIALPLATFORMS.CO.UK

Aerial Platforms Limited are recognised as one of the UK's leading privately owned single source MEWP rental companies, dedicated to making powered access simple. With a modern fleet and many years experience, we offer a full range of MEWP's for hire and sale, coupled with IPAF and PASMA training courses.

We offer a powered access platform hire service that combines convenience with affordability. Our new and well serviced fleet comprises of:

- **Electric Scissor Lifts**
- **Electric Boom Lifts**
- **Diesel Scissor Lifts**
- **Diesel Boom Lifts**
- **Tracked Access**
- **Self Drive Van Mounts**
- **Push Around Verticals (PAVs)**

We also offer **Bi-energy models**, further reducing your carbon footprint.

CONTENTS

01	APL PROTECT.....	P02
02	HOW TO USE THIS PRODUCT GUIDE	P03
03	STAY CONNECTED	P04
04	SAFETY & REGULATIONS	P07
05	EQUIPMENT PRE-HIRE CHECKLIST	P08
06	PUSH AROUND VERTICALS (PAV'S)	P11
07	ELECTRIC SCISSOR LIFTS	P19
08	DIESEL SCISSOR LIFTS	P41
09	ELECTRIC BOOM LIFTS	P53
10	DIESEL BOOM LIFTS	P67
11	BI-ENERGY BOOM LIFTS	P85
12	VAN & TRUCK MOUNTS AND SPIDER LIFTS	P95
13	TELEHANDLERS	P101
14	TRAINING	P105
15	ACCESSORIES	P119
16	SECONDARY GUARDING DEVICES	P127
17	CONVERSION CHARTS	P136

All APL machines are hired out under CPA Construction Plant Association (July 2011) terms & conditions of hire, whereby the **HIRER** is responsible for the loss or damage of equipment hired. Costs of damages in use can be extremely high, and if the machine is lost or stolen, the full replacement cost could be more than 100 times the weekly hire rate.

APL Protect is designed to offer customers an indemnity against machine damage charges plus a number of other liabilities, subject to their meeting basic obligations under the hire contract. APL Protect is an indemnity scheme, operated by APL, **NOT** an insurance policy. No underwriters or third parties are involved.

To take advantage of APL Protect, simply register your interest with the Hire Desk Controller and the charge will be added to your hire invoice. It is not compulsory, but we strongly recommend you consider this cost an effective precaution! APL offer two levels of indemnity.

APL PROTECT

- No liability for the cost of accidental damage
- Removes disruption of damage assessment and payments
- Covers APL loss of hire charges during downtime
- Covers many charges that fall within insurance excess

Exclusions: Theft, vandalism and malicious damage, damage resulting from the negligence of the operator.

APL PROTECT +

- All those covered by APL Protect
- Theft
- Destruction
- Malicious Damage

Exclusions: The first £1000 of any claim (except accidental damage), theft, malicious damage or vandalism DURING NON WORKING HOURS when the equipment is NOT stored in a locked area when not in use.

Additional exclusions apply to both schemes.

Full terms and conditions available on request or to download at www.aerialplatforms.co.uk

HOW TO USE THIS PRODUCT GUIDE

This guide is designed to help you select and order the correct pieces of equipment to suit any job you undertake. Below is a breakdown of how information is displayed throughout.

1 Product Code

A unique reference number for the product.

2 Product Type

Indicates the product's classification.

3 Technical Specification

All of the relevant technical specs for each product.

4 Key

See below for a breakdown of each icon.

5 Working Envelope

This shows the area of working space provided by the product.

6 Additional Product Perks

Extra product advantages will be displayed here e.g. Fume Free












7 IPAF Classification Code


Indicates which IPAF classification the product falls under.

See 'Training' for further details.

*PLEASE NOTE THAT MACHINE WEIGHTS MAY DIFFER FROM THOSE STATED DUE TO ADDED FEATURES AND SHOULD ONLY BE USED AS A GUIDE

KEY

-  Battery
-  Diesel
-  Dual Fuel
-  Hybrid
-  4x4
-  Jack Legs
-  Non-marking tyres
-  Power to platform
-  Basket Rotation
-  Outrigger
-  Non-Marking Tracks



STAY CONNECTED WITH APL

Make sure you keep up to date with all the latest news, products and deals we have to offer by staying connected with us across our social media channels:



@aerialplatforms1



@aerialplatforms



@aerialplatform1



apl-aerial-platforms-ltd

**For further information or general enquiries,
please visit our website or email us at:**



www.aerialplatforms.co.uk



info@aerialplatforms.co.uk



MACHINE SALES

If you use powered access equipment on a daily basis, it may make good business sense to purchase.

Whether you're looking at a second hand machine from our fleet or a brand new one straight from the manufacturer, APL have the knowledge and experience to help you find the best machine at the best price.

Not only this, but we also offer preferential rates on machine servicing and LOLER inspections ensuring you can keep your machine safe and legal at an affordable price.

FOR MORE INFO FREEPHONE: 0800 085 3709



Scan the QR code to learn more about purchasing access equipment with APL and to see the current machines we have for sale.



NATIONAL COVERAGE

No matter where in the UK you're working, APL are able to meet your powered access requirements and supply high quality machines at affordable prices. This coupled with our first-class service ensures you can rest easy knowing your requirements are being taken care of with the utmost of care and professionalism.



SAFETY AND REGULATIONS



If you're working at height, it's important to understand the legislation and regulations which apply to you. The Work at Height Regulations (2005) apply to all working at height where there is a risk of a fall liable to cause personal injury. These regulations are a key starting point for anyone responsible for individuals completing, supervising or planning work at height.



The Work at Height Regulations 2005 - A Brief Guide

📄 <http://ddc.cr/2pwjwH3>



Working at Height - A Brief Guide

📄 <http://ddc.cr/2DKCajG>



PUWER Regulations 1998

📄 <https://ddc.cr/2GV6aQm>



LOLER Regulations 1998

📄 <https://ddc.cr/2H0yxZy>

Further documentation can be found on our website:

📄 www.aerialplatforms.co.uk/downloads



EQUIPMENT PRE-HIRE CHECKLIST

Before you place your order, follow this check list of criteria to ensure you get the right machine for the job.



WORKING HEIGHT

Make sure to measure the height you will need to reach before hand. It is worth bearing in mind when selecting a mewp that the working height is 2m above the platform height of the machine. For boom type lifts make sure to check the working envelopes in the specification guide as the maximum outreach decreases the higher you go up.



WORKING ENVIRONMENT

For indoor work it is best to look for an electric machine. These emit zero emissions and produce little noise when in operation unlike diesel machines.

When working outdoors or on sites where there is no available charging points, we recommend using a diesel machine.

The third option is to get the best of both worlds and go down the bi-energy route. These have the option to switch between diesel and electric when needed.



WHO'S OPERATING?

Anyone operating a mewp will need to have undergone their IPAF training for the correct category of machine they will be using. At APL we can provide full IPAF training in order to get operatives trained and competent in using aerial work platforms. Visit our training website for more information.



GROUND CONDITIONS

For finished floors we recommend using non-marking tyres and for extra sensitive environments, wheel covers.

On unfinished surfaces choose a diesel machine and remember to consider whether you will need a 4 wheel drive machine if the ground is particularly uneven.

For jobs where the machine will need to be on a slope, look for machines with outriggers as these will be required for the machine to function properly.



ARE THERE ANY RESTRICTIONS?

- ▶ Will the machine be required to fit through a doorway or entrance?
- ▶ Are there any low ceilings that could hinder the machine from passing through?
- ▶ Are the ground conditions suitable for the machine to travel across when positioning?
- ▶ Are there any overhead power lines that could pose a risk?



EXTERNAL FACTORS

If you are working by a nearby road, have you taken into account measures on how to prevent any collisions?

YOUR SAFETY OUR SOLUTION

Whether you're working on a standard push around, one of our Super Booms or anything in between, safety should always be the number one priority. Be sure that you're familiarised with the machine you're using BEFORE work commences by scanning the QR Code found on the side of our machines and reading through the operator's manual. You can also find a copy of the machine's latest LOLER certificate here, ensuring the machine is safe to use.





01

PUSH AROUND VERTICALS (PAVs)

PUSH AROUND VERTICALS (PAVs)

Push Around Verticals are the safer solution for low level, indoor access, providing a cost-effective new way to work safely at height. Push Around Verticals are robust, easy to use and simple to maintain.



ADVANTAGES

- ✓ LOW LEVEL ENTRY POINT
- ✓ NO OUTRIGGERS
- ✓ EASILY PASS THROUGH STANDARD DOORWAYS
- ✓ FITS INTO PASSENGER LIFTS
- ✓ LIGHTWEIGHT AND COMPACT

TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

POP UP+

PUSH AROUND
VERTICAL LIFT

PAV

WORKING HEIGHT

4.50M

WIDTH

0.70M

PLATFORM HEIGHT

2.50M

LENGTH

1.26M

HEIGHT STOWED

1.72M


WEIGHT

343KG

LIFT CAPACITY

240KG

MANUFACTURER



CLICK ON

AERIALPLATFORMS.CO.UK

FOR OUR FULL TECHNICAL
DETAILS ON ALL OUR MACHINES

WORKING HEIGHT

MAX. HORIZONTAL OUTREACH



WWW.AERIALPLATFORMS.CO.UK

TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

PECO LIFT

MANUAL PUSH AROUND
VERTICAL LIFT **PAV**

WORKING HEIGHT

3.50M

WIDTH

0.70M

PLATFORM HEIGHT

1.50M

LENGTH

0.99M

HEIGHT STOWED

1.55M

WEIGHT

180KG

LIFT CAPACITY


150KG

MANUFACTURER




WORKING HEIGHT

MAX. HORIZONTAL OUTREACH



WIND-RATED VERSION
AVAILABLE



TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

ECO LIFT

MANUAL PUSH AROUND
VERTICAL LIFT **PAV**

WORKING HEIGHT

4.20M

WIDTH

0.70M

PLATFORM HEIGHT

2.20M

LENGTH

1.30M

HEIGHT STOWED

1.93M


WEIGHT

305KG

LIFT CAPACITY

150KG

MANUFACTURER



**WIND-RATED VERSION
AVAILABLE**



WORKING HEIGHT

MAX. HORIZONTAL OUTREACH



WWW.AERIALPLATFORMS.CO.UK

TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

NANO

PUSH AROUND
VERTICAL LIFT

PAV

WORKING HEIGHT 4.50M

PLATFORM HEIGHT 2.50M

HEIGHT STOWED 1.56M

LIFT CAPACITY 200KG

WIDTH 0.75M

LENGTH 1.20M


WEIGHT 285KG

MANUFACTURER



WORKING HEIGHT

MAX. HORIZONTAL OUTREACH



CLICK ON
AERIALPLATFORMS.CO.UK
FOR OUR FULL TECHNICAL
DETAILS ON ALL OUR MACHINES



TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

POWER TOWER

PUSH AROUND
VERTICAL LIFT

PAV

WORKING HEIGHT

5.10M

WIDTH

0.78M

PLATFORM HEIGHT

3.10M

LENGTH

1.60M

HEIGHT STOWED

1.85M

WEIGHT



342KG

LIFT CAPACITY

250KG

MANUFACTURER

POWER
TOWER



WORKING HEIGHT

MAX. HORIZONTAL OUTREACH



Stay connected with APL:



@aerialplatforms1



@aerialplatforms



@aerialplatform1



apl-aerial-platforms-ltd

Out Perform With Low-Level Access



nano



**POWER
TOWER**



pecolift
Non-Powered, Powered Access™



Why use PAVs?

1. Safer to use than ladders
2. No harmful emissions
3. Fast and easy to use

Why use APL?

1. Next day delivery
2. Reliable and fast
3. High quality machines

📞 0800 085 3709



02

ELECTRIC SCISSOR LIFTS

ELECTRIC SCISSOR LIFTS

These highly manoeuvrable electric scissor lifts are the perfect choice for internal and external applications. These versatile lifts come in a variety of models featuring roll out deck extensions, tight turning circle's and zero emissions.



ADVANTAGES

- ✓ ULTRA NARROW AISLE
- ✓ INTERNAL AND EXTERNAL USE
- ✓ NON-MARKING TYRES
- ✓ HEIGHTS UP TO 22.0 METRES
- ✓ DIRECT DRIVE ELECTRIC MACHINES FOR GREATER EFFICIENCY
- ✓ LIGHT-WEIGHT MODELS FROM 1170KG

TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

1930ES

ELECTRIC SCISSOR LIFT

3a

WORKING HEIGHT

7.72M

WIDTH

0.76M

PLATFORM HEIGHT

5.72M

DECK EXTENSION

0.90M

HEIGHT STOWED

2.02M


WEIGHT

1,550KG

LIFT CAPACITY

230KG

MANUFACTURER



CLICK ON
AERIALPLATFORMS.CO.UK
FOR OUR FULL TECHNICAL
DETAILS ON ALL OUR MACHINES

WORKING HEIGHT

MAX. HORIZONTAL OUTREACH



WWW.AERIALPLATFORMS.CO.UK

TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

SJ3219

ELECTRIC SCISSOR LIFT

3a

WORKING HEIGHT 7.62M

WIDTH 0.81M

PLATFORM HEIGHT 5.79M

DECK EXTENSION 0.91M

HEIGHT STOWED 1.99M

WEIGHT 1,170KG

LIFT CAPACITY 249KG


MANUFACTURER

SKYJACK



WORKING HEIGHT

MAX. HORIZONTAL OUTREACH



CLICK ON
AERIALPLATFORMS.CO.UK
FOR OUR FULL TECHNICAL
DETAILS ON ALL OUR MACHINES



TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

0807DC

ELECTRIC SCISSOR LIFT

3a

WORKING HEIGHT 7.80M

WIDTH 0.76M

PLATFORM HEIGHT 5.80M

DECK EXTENSION 0.90M


HEIGHT STOWED 2.18M

WEIGHT 1,415KG

LIFT CAPACITY 230KG

MANUFACTURER

Dingli



CLICK ON
AERIALPLATFORMS.CO.UK
FOR OUR FULL TECHNICAL
DETAILS ON ALL OUR MACHINES

WORKING HEIGHT

MAX. HORIZONTAL OUTREACH



WWW.AERIALPLATFORMS.CO.UK

TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

2632ES

ELECTRIC SCISSOR LIFT

3a

WORKING HEIGHT

9.77M

WIDTH

0.81M

PLATFORM HEIGHT

7.77M

DECK EXTENSION

0.90M

HEIGHT STOWED

2.33M

WEIGHT

2,135KG

LIFT CAPACITY


230KG

MANUFACTURER



WORKING HEIGHT

MAX. HORIZONTAL OUTREACH



CLICK ON
AERIALPLATFORMS.CO.UK
FOR OUR FULL TECHNICAL
DETAILS ON ALL OUR MACHINES



TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

SJ3226

ELECTRIC SCISSOR LIFT

3a

WORKING HEIGHT

9.75M

WIDTH

0.81M

PLATFORM HEIGHT

7.92M

DECK EXTENSION

0.91M

HEIGHT STOWED

2.15M

WEIGHT


1,876KG

LIFT CAPACITY

227KG

MANUFACTURER

SKYJACK



CLICK ON
AERIALPLATFORMS.CO.UK
FOR OUR FULL TECHNICAL
DETAILS ON ALL OUR MACHINES

WORKING HEIGHT

MAX. HORIZONTAL OUTREACH



WWW.AERIALPLATFORMS.CO.UK



TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

2646ES

ELECTRIC SCISSOR LIFT

3a

WORKING HEIGHT

9.92M

WIDTH

1.17M

PLATFORM HEIGHT

7.92M

DECK EXTENSION

1.27M

HEIGHT STOWED

2.36M

WEIGHT

2,740KG

LIFT CAPACITY


454KG

MANUFACTURER



WORKING HEIGHT

MAX. HORIZONTAL OUTREACH



CLICK ON

AERIALPLATFORMS.CO.UK

FOR OUR FULL TECHNICAL
DETAILS ON ALL OUR MACHINES



TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

1012DC

ELECTRIC SCISSOR LIFT

3a

WORKING HEIGHT

10.00M

WIDTH

1.15M

PLATFORM HEIGHT

8.00M

DECK EXTENSION

0.90M

HEIGHT STOWED

2.32M

WEIGHT


2,655KG

LIFT CAPACITY

450KG

MANUFACTURER

Dingli



CLICK ON

AERIALPLATFORMS.CO.UK

FOR OUR FULL TECHNICAL
DETAILS ON ALL OUR MACHINES

WORKING HEIGHT

MAX. HORIZONTAL OUTREACH



WWW.AERIALPLATFORMS.CO.UK

TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

S2632E

ELECTRIC SCISSOR LIFT

3a

WORKING HEIGHT 10.10M

WIDTH 0.81M

PLATFORM HEIGHT 8.10M

DECK EXTENSION 0.90M

HEIGHT STOWED 2.35M

WEIGHT 1,972KG



LIFT CAPACITY 250KG

MANUFACTURER **JCB**



WORKING HEIGHT

MAX. HORIZONTAL OUTREACH



TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

S2646E

ELECTRIC SCISSOR LIFT

3a

WORKING HEIGHT

10.10M

WIDTH

1.15M

PLATFORM HEIGHT

8.10M

DECK EXTENSION

0.90M

HEIGHT STOWED

2.35M


WEIGHT

2,528KG

LIFT CAPACITY

450KG

MANUFACTURER



CLICK ON

AERIALPLATFORMS.CO.UK

FOR OUR FULL TECHNICAL
DETAILS ON ALL OUR MACHINES

WORKING HEIGHT

MAX. HORIZONTAL OUTREACH



WWW.AERIALPLATFORMS.CO.UK

TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

3246ES

ELECTRIC SCISSOR LIFT

3a

WORKING HEIGHT

11.68M

WIDTH

1.17M

PLATFORM HEIGHT

9.68M

DECK EXTENSION

1.27M

HEIGHT STOWED

2.36M

WEIGHT

2,905KG

LIFT CAPACITY


454KG

MANUFACTURER



WORKING HEIGHT

MAX. HORIZONTAL OUTREACH



CLICK ON

AERIALPLATFORMS.CO.UK

FOR OUR FULL TECHNICAL
DETAILS ON ALL OUR MACHINES



TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

GS3232

SELF LEVELLING **3a**
ELECTRIC SCISSOR LIFT

WORKING HEIGHT

11.75M

WIDTH

0.81M

PLATFORM HEIGHT

9.75M

PLTFRM LGTH INC D.EXT

3.18M

DRIVE HEIGHT

6.71M

WEIGHT

2,352KG

MIN. PLATFORM HEIGHT


2.03M

MANUFACTURER



LIFT CAPACITY

227KG



IT CAN
WORK ON
SLOPED
AREAS



CLICK ON

AERIALPLATFORMS.CO.UK

FOR OUR FULL TECHNICAL
DETAILS ON ALL OUR MACHINES



WORKING HEIGHT

MAX. HORIZONTAL OUTREACH

TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

S3246E

ELECTRIC SCISSOR LIFT

3a

WORKING HEIGHT

12.00M

WIDTH

1.15M

PLATFORM HEIGHT

10.00M

DECK EXTENSION

0.90M

HEIGHT STOWED

2.48M

WEIGHT

2,646KG

LIFT CAPACITY


320KG

MANUFACTURER



WORKING HEIGHT

MAX. HORIZONTAL OUTREACH



CLICK ON

AERIALPLATFORMS.CO.UK

FOR OUR FULL TECHNICAL
DETAILS ON ALL OUR MACHINES



TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

SJ4740

ELECTRIC SCISSOR LIFT

3a

WORKING HEIGHT

13.80M

WIDTH

1.19M

PLATFORM HEIGHT

11.80M

DECK EXTENSION

0.90M

HEIGHT STOWED

2.48M

WEIGHT


3,400KG

LIFT CAPACITY

227KG

MANUFACTURER

SKYJACK



CLICK ON
AERIALPLATFORMS.CO.UK
FOR OUR FULL TECHNICAL
DETAILS ON ALL OUR MACHINES

WORKING HEIGHT

MAX. HORIZONTAL OUTREACH



WWW.AERIALPLATFORMS.CO.UK

TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

1412DC

ELECTRIC SCISSOR LIFT

3a

WORKING HEIGHT 13.80M

PLATFORM HEIGHT 11.80M

HEIGHT STOWED 2.59M

LIFT CAPACITY 320KG

WIDTH 1.19M

DECK EXTENSION 0.90M


WEIGHT 2,880KG

MANUFACTURER **Dingli**



WORKING HEIGHT

MAX. HORIZONTAL OUTREACH



CLICK ON

AERIALPLATFORMS.CO.UK

FOR OUR FULL TECHNICAL
DETAILS ON ALL OUR MACHINES



TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

S4046E

ELECTRIC SCISSOR LIFT

3a

WORKING HEIGHT 13.90M

PLATFORM HEIGHT 11.90M

HEIGHT STOWED 2.60M



LIFT CAPACITY 320KG

WIDTH 1.15M

DECK EXTENSION 0.90M

WEIGHT 2,996KG

MANUFACTURER **JCB**



WORKING HEIGHT

MAX. HORIZONTAL OUTREACH



WWW.AERIALPLATFORMS.CO.UK

TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

4045R

ELECTRIC SCISSOR LIFT

3a

WORKING HEIGHT

13.96M

WIDTH

1.14M

PLATFORM HEIGHT

11.96M

DECK EXTENSION

0.91M

HEIGHT STOWED

2.55M

WEIGHT

3,175KG

LIFT CAPACITY


350KG

MANUFACTURER



WORKING HEIGHT

MAX. HORIZONTAL OUTREACH



CLICK ON

[AERIALPLATFORMS.CO.UK](https://www.aerialplatforms.co.uk)

FOR OUR FULL TECHNICAL
DETAILS ON ALL OUR MACHINES



TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

4069LE

ELECTRIC SCISSOR LIFT

3a

WORKING HEIGHT

14.19M

WIDTH

1.75M

PLATFORM HEIGHT

12.19M

DECK EXTENSION

0.91M

HEIGHT STOWED

2.83M


WEIGHT

5,300KG

LIFT CAPACITY

360KG

MANUFACTURER



CLICK ON

AERIALPLATFORMS.CO.UK

FOR OUR FULL TECHNICAL

DETAILS ON ALL OUR MACHINES

WORKING HEIGHT

MAX. HORIZONTAL OUTREACH



Keep up-to-date with APL by signing-up to our Newsletter.

Just scan the QR code or visit this link: <http://eepurl.com/bP0ZKj>



Your personal data is safe and secure.



TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

1612DC

ELECTRIC SCISSOR LIFT

3a

WORKING HEIGHT 15.70M

PLATFORM HEIGHT 13.70M

HGT STOWED RAILS UP 2.59M

HGT STOWED RAILS DWN 2.05M

LIFT CAPACITY 250KG

WIDTH 1.25M


WEIGHT 3,180KG

MANUFACTURER **Dingli**



WORKING HEIGHT

MAX. HORIZONTAL OUTREACH



DRIVEABLE
AT FULL
HEIGHT



CLICK ON

AERIALPLATFORMS.CO.UK

FOR OUR FULL TECHNICAL
DETAILS ON ALL OUR MACHINES



TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

HL-190 E12

ELECTRIC SCISSOR LIFT

3a

WORKING HEIGHT

18.80M

WIDTH

1.20M

PLATFORM HEIGHT

16.80M

DECK EXTENSION

1.50M

HEIGHT STOWED

3.40M

WEIGHT


7,985KG

LIFT CAPACITY

500KG

MANUFACTURER

HOLLAND LIFT



CLICK ON
AERIALPLATFORMS.CO.UK
FOR OUR FULL TECHNICAL
DETAILS ON ALL OUR MACHINES

WORKING HEIGHT

MAX. HORIZONTAL OUTREACH



**SUPER SCISSOR
DIVISION**

**SUPER SCISSOR
HANDOVER REQUIRED**



WWW.AERIALPLATFORMS.CO.UK

TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

HL-220 E12

ELECTRIC
SCISSOR LIFT

3a

WORKING HEIGHT

21.70M

WIDTH

1.20M

PLATFORM HEIGHT

19.70M

DECK EXTENSION

1.50M

HEIGHT STOWED

3.74M

WEIGHT

9,120KG

LIFT CAPACITY

500KG



MANUFACTURER

HOlland LIFT



WORKING HEIGHT

MAX. HORIZONTAL OUTREACH



**SUPER SCISSOR
DIVISION**

**SUPER SCISSOR
HANDOVER REQUIRED**





03

DIESEL SCISSOR LIFTS

DIESEL SCISSOR LIFTS

A full range of diesel scissor lifts with working heights up to 34m allowing you to reach almost any application on site. All our diesel scissor lifts are equipped with fourwheel drive and deliver excellent platform space, great load capacity and rough terrain capability.



ADVANTAGES

- ✓ ALL DIESEL MACHINES ARE 4 WHEEL DRIVE
- ✓ FOAM FILLED ALL TERRAIN TYRES
- ✓ ALL HAVE LEVELLING JACKS
- ✓ COMPACT WIDTHS AVAILABLE
- ✓ DOUBLE DECK EXTENSION
- ✓ DIESEL GENERATOR OPTION

TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

SJ6826RT

DIESEL
SCISSOR LIFT

3a

WORKING HEIGHT

9.90M

WIDTH

1.70M

PLATFORM HEIGHT

7.90M

DECK EXTENSION

1.52M

HEIGHT STOWED

2.38M

WEIGHT


2,903KG

LIFT CAPACITY

567KG

MANUFACTURER

SKYJACK



CLICK ON

AERIALPLATFORMS.CO.UK

FOR OUR FULL TECHNICAL
DETAILS ON ALL OUR MACHINES

WORKING HEIGHT

MAX. HORIZONTAL OUTREACH



TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

SJ6832RT

DIESEL
SCISSOR LIFT

3a

WORKING HEIGHT

11.58M

WIDTH

1.76M

PLATFORM HEIGHT

9.58M

DECK EXTENSION

1.52M

HEIGHT STOWED

2.51M

WEIGHT

3,475KG

LIFT CAPACITY

454KG


MANUFACTURER

SKYJACK



WORKING HEIGHT

MAX. HORIZONTAL OUTREACH



CLICK ON
AERIALPLATFORMS.CO.UK
FOR OUR FULL TECHNICAL
DETAILS ON ALL OUR MACHINES



TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

SJ8831RT

DIESEL
SCISSOR LIFT

3a

WORKING HEIGHT

11.40M

WIDTH

2.20M

PLATFORM HEIGHT

9.40M

DECK EXTENSION X2

1.15M

HEIGHT STOWED

2.70M

WEIGHT


5,684KG

LIFT CAPACITY

909KG

MANUFACTURER

SKYJACK



CLICK ON

AERIALPLATFORMS.CO.UK

FOR OUR FULL TECHNICAL
DETAILS ON ALL OUR MACHINES

WORKING HEIGHT

MAX. HORIZONTAL OUTREACH



WWW.AERIALPLATFORMS.CO.UK

TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

SJ8841RT

DIESEL
SCISSOR LIFT

3a

WORKING HEIGHT

14.50M

WIDTH

2.20M

PLATFORM HEIGHT

12.50M

DECK EXTENSION X2

1.15M

HEIGHT STOWED

2.90M

WEIGHT

6,173KG

LIFT CAPACITY

681KG


MANUFACTURER

SKYJACK



WORKING HEIGHT

MAX. HORIZONTAL OUTREACH



CLICK ON

AERIALPLATFORMS.CO.UK

FOR OUR FULL TECHNICAL
DETAILS ON ALL OUR MACHINES



ONBOARD
GENERATOR

TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

SJ9241RT

DIESEL
SCISSOR LIFT

3a

WORKING HEIGHT

14.50M

WIDTH

2.34M

PLATFORM HEIGHT

12.50M

DECK EXTENSION X2

1.53M

HEIGHT STOWED

2.84M

WEIGHT


6,715KG

LIFT CAPACITY

681KG

MANUFACTURER

SKYJACK



CLICK ON

AERIALPLATFORMS.CO.UK

FOR OUR FULL TECHNICAL
DETAILS ON ALL OUR MACHINES

WORKING HEIGHT

MAX. HORIZONTAL OUTREACH



WWW.AERIALPLATFORMS.CO.UK

TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

SJ9250RT

DIESEL
SCISSOR LIFT

3a

WORKING HEIGHT

17.24M

WIDTH

2.34M

PLATFORM HEIGHT

15.24M

DECK EXTENSION X2

1.53M

HEIGHT STOWED

3.16M

WEIGHT

7,407KG

LIFT CAPACITY

681KG


MANUFACTURER

SKYJACK



WORKING HEIGHT

MAX. HORIZONTAL OUTREACH



CLICK ON
AERIALPLATFORMS.CO.UK
FOR OUR FULL TECHNICAL
DETAILS ON ALL OUR MACHINES



TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

530LRT

DIESEL
SCISSOR LIFT

3a

WORKING HEIGHT

18.15M

WIDTH

2.31M

PLATFORM HEIGHT

16.15M

DECK EXTENSION X2

1.14M

HEIGHT STOWED

3.15M


WEIGHT

7,995KG

LIFT CAPACITY

680KG

MANUFACTURER



CLICK ON

AERIALPLATFORMS.CO.UK

FOR OUR FULL TECHNICAL
DETAILS ON ALL OUR MACHINES

WORKING HEIGHT

MAX. HORIZONTAL OUTREACH



WWW.AERIALPLATFORMS.CO.UK

TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

2223RTA

DIESEL
SCISSOR LIFT

3a

WORKING HEIGHT

22.00M

WIDTH

2.33M

PLATFORM HEIGHT

20.00M

DECK EXTENSION

2.00M

HEIGHT STOWED

3.75M

WEIGHT

13,000KG

LIFT CAPACITY

750KG


MANUFACTURER

Dingli



WORKING HEIGHT

MAX. HORIZONTAL OUTREACH



CLICK ON

AERIALPLATFORMS.CO.UK

FOR OUR FULL TECHNICAL
DETAILS ON ALL OUR MACHINES



**SUPER SCISSOR
DIVISION**

**SUPER SCISSOR
HANDOVER REQUIRED**



**ONBOARD
GENERATOR**

TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

HL-275 D27

DIESEL
SCISSOR LIFT

3a

WORKING HEIGHT

27.50M

WIDTH

2.65M

PLATFORM HEIGHT

25.50M

DECK EXTENSION

2.10M

HEIGHT STOWED

3.89M

WEIGHT


21,910KG

LIFT CAPACITY

1,000KG

MANUFACTURER

HOLLAND LIFT



CLICK ON

[AERIALPLATFORMS.CO.UK](https://www.aerialplatforms.co.uk)

FOR OUR FULL TECHNICAL
DETAILS ON ALL OUR MACHINES

WORKING HEIGHT

MAX. HORIZONTAL OUTREACH



**SUPER SCISSOR
DIVISION**

**SUPER SCISSOR
HANDOVER REQUIRED**



**ONBOARD
GENERATOR**



[WWW.AERIALPLATFORMS.CO.UK](https://www.aerialplatforms.co.uk)

TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

G-320D

DIESEL
SCISSOR LIFT

3a

WORKING HEIGHT

33.70M

WIDTH

2.98M

PLATFORM HEIGHT

31.70M

DECK EXTENSION

3.00M

HEIGHT STOWED

3.63M

WEIGHT

31,200KG

LIFT CAPACITY

1,000KG


MANUFACTURER

HOLLAND LIFT



WORKING HEIGHT

MAX. HORIZONTAL OUTREACH



CLICK ON

AERIALPLATFORMS.CO.UK

FOR OUR FULL TECHNICAL
DETAILS ON ALL OUR MACHINES



**SUPER SCISSOR
DIVISION**

**SUPER SCISSOR
HANDOVER REQUIRED**



**ONBOARD
GENERATOR**



04

ELECTRIC BOOM LIFTS

ELECTRIC BOOM LIFTS

Market leading battery powered boom lifts combining clean and quiet operation with superb manoeuvrability. Ideal for working at height in narrow aisles but equally suited for industrial maintenance applications. Working heights up to 21.0m.



ADVANTAGES

- ✓ NARROW AISLE MODELS
- ✓ MULTI-ACTION JIB
- ✓ CLOSED SPACE APPLICATIONS
- ✓ LONG DUTY CYCLES
- ✓ NON-MARKING TYRES

TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

NANO SP

SELF-PROPELLED
MAST BOOM

3a

WORKING HEIGHT

4.50M

WIDTH

0.75M

PLATFORM HEIGHT

2.50M

LENGTH

1.20M

HEIGHT STOWED

1.56M



WEIGHT

478KG

LIFT CAPACITY

200KG

MANUFACTURER



WORKING HEIGHT

MAX. HORIZONTAL OUTREACH



If you're working at height, be sure to check out all of the health and safety documents here:

www.aerialplatforms.co.uk/downloads

TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

GR15

ELECTRIC MAST BOOM LIFT

3a

WORKING HEIGHT

6.52M

HEIGHT STOWED

1.57M

PLATFORM HEIGHT

4.52M

WEIGHT

994KG

LIFT CAPACITY

227KG

MANUFACTURER




WIDTH

0.75M



WORKING HEIGHT

MAX. HORIZONTAL OUTREACH



CLICK ON
AERIALPLATFORMS.CO.UK
FOR OUR FULL TECHNICAL
DETAILS ON ALL OUR MACHINES



TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

SJ16

ELECTRIC MAST
BOOM LIFT **3a**

WORKING HEIGHT

6.75M

HEIGHT STOWED

1.79M

PLATFORM HEIGHT

4.75M

WEIGHT

971KG

LIFT CAPACITY


227KG

MANUFACTURER

SKYJACK

WIDTH

0.77M



CLICK ON
AERIALPLATFORMS.CO.UK
FOR OUR FULL TECHNICAL
DETAILS ON ALL OUR MACHINES

WORKING HEIGHT

MAX. HORIZONTAL OUTREACH



WWW.AERIALPLATFORMS.CO.UK

TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

GR20

ELECTRIC MAST BOOM LIFT

3a

WORKING HEIGHT 8.02M

HEIGHT STOWED 1.98M


PLATFORM HEIGHT 6.02M

WEIGHT 1,112KG

LIFT CAPACITY 159KG

MANUFACTURER 

WIDTH 0.80M



CLICK ON
AERIALPLATFORMS.CO.UK
FOR OUR FULL TECHNICAL
DETAILS ON ALL OUR MACHINES



TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

100VJR

ELECTRIC MAST BOOM LIFT

3b

WORKING HEIGHT

9.85M

WIDTH

0.99M

PLATFORM HEIGHT

7.85M

HEIGHT STOWED

1.99M

MAX HOR. OUTREACH

3.15M

WEIGHT



2,650KG

LIFT CAPACITY

200KG

MANUFACTURER

MANITOU



WORKING HEIGHT

MAX. HORIZONTAL OUTREACH



[WWW.AERIALPLATFORMS.CO.UK](https://www.aerialplatforms.co.uk)

TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

STAR10

ELECTRIC MAST BOOM LIFT

3b

WORKING HEIGHT 10.00M

PLATFORM HEIGHT 8.00M

MAX HOR. OUTREACH 3.00M

LIFT CAPACITY 200KG

WIDTH 1.00M

HEIGHT STOWED 1.99M


WEIGHT 2,760KG

MANUFACTURER Haulotte



WORKING HEIGHT

MAX. HORIZONTAL OUTREACH



CLICK ON

AERIALPLATFORMS.CO.UK

FOR OUR FULL TECHNICAL
DETAILS ON ALL OUR MACHINES



TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

SJ30ARJE

ELECTRIC
BOOM LIFT

3b

WORKING HEIGHT

11.00M

WIDTH

1.19M

PLATFORM HEIGHT

9.00M

HEIGHT STOWED

2.01M

MAX HOR. OUTREACH

6.25M

WEIGHT


5,750KG

LIFT CAPACITY

227KG

MANUFACTURER

SKYJACK



CLICK ON

AERIALPLATFORMS.CO.UK

FOR OUR FULL TECHNICAL
DETAILS ON ALL OUR MACHINES



WWW.AERIALPLATFORMS.CO.UK

TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

TOUCAN 12E+

ELECTRIC MAST
BOOM LIFT **3b**

WORKING HEIGHT

12.65M

WIDTH

1.20M

PLATFORM HEIGHT

10.65M

HEIGHT STOWED

1.99M

MAX HOR. OUTREACH

6.05M

WEIGHT

4,900KG

LIFT CAPACITY


200KG

MANUFACTURER



WORKING HEIGHT

MAX. HORIZONTAL OUTREACH



CLICK ON

AERIALPLATFORMS.CO.UK

FOR OUR FULL TECHNICAL
DETAILS ON ALL OUR MACHINES



TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

E300AJP

ELECTRIC
BOOM LIFT

3b

WORKING HEIGHT

11.14M

WIDTH

1.22M

PLATFORM HEIGHT

9.14M

HEIGHT STOWED

2.01M

MAX HOR. OUTREACH

6.12M


WEIGHT

6,985KG

LIFT CAPACITY

227KG

MANUFACTURER



CLICK ON
AERIALPLATFORMS.CO.UK
FOR OUR FULL TECHNICAL
DETAILS ON ALL OUR MACHINES



WWW.AERIALPLATFORMS.CO.UK

TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

M450AJP

MULTI FUEL
BOOM LIFT

3b

WORKING HEIGHT

15.72M

WIDTH

1.75M

PLATFORM HEIGHT

13.72M

HEIGHT STOWED

2.01M

MAX HOR. OUTREACH

7.24M

WEIGHT

6,700KG

LIFT CAPACITY


230KG

MANUFACTURER



WORKING HEIGHT

MAX. HORIZONTAL OUTREACH



CLICK ON

AERIALPLATFORMS.CO.UK

FOR OUR FULL TECHNICAL
DETAILS ON ALL OUR MACHINES



TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

M600JP

MULTI FUEL
BOOM LIFT

3b

WORKING HEIGHT

20.39M

WIDTH

2.42M

PLATFORM HEIGHT

18.39M

HEIGHT STOWED

2.54M

MAX HOR. OUTREACH

13.54M



WEIGHT

7,350KG

LIFT CAPACITY

230KG

MANUFACTURER



WORKING HEIGHT

MAX. HORIZONTAL OUTREACH



WWW.AERIALPLATFORMS.CO.UK



FANCY A BREW?



CONTACT YOUR
APL BUSINESS DEVELOPMENT MANAGER
TO ARRANGE A MEETING

☎ **0800 085 3709**



05

DIESEL BOOM LIFTS

DIESEL BOOM LIFTS

Designed for tough job applications, combining superb manoeuvrability and power where you need it most. With articulating jibs and outstanding working envelopes these powerful, rugged boom lifts give you everything you need for challenging access solutions.



ADVANTAGES

- ✓ UP TO 58.6M WORKING HEIGHT
- ✓ 4 WHEEL DRIVE OPTION
- ✓ FOAM FILLED TYRES
- ✓ 20M WORKING HEIGHT AT LESS THAN 10 TONNES
- ✓ 28M SPECIFICATION

TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

450AJ

ARTICULATED
DIESEL BOOM LIFT

3b

WORKING HEIGHT

15.72M

UP & OVER CLEARANCE

7.30M

PLATFORM HEIGHT

13.72M

HEIGHT STOWED

2.27M

MAX HOR. OUTREACH

7.62M

WEIGHT

5,738KG

LIFT CAPACITY


249KG

MANUFACTURER

JLG

WIDTH

2.35M



CLICK ON

AERIALPLATFORMS.CO.UK

FOR OUR FULL TECHNICAL
DETAILS ON ALL OUR MACHINES



ONBOARD
GENERATOR



TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

SJ46AJ

ARTICULATED
DIESEL BOOM LIFT

3b

WORKING HEIGHT 15.93M

PLATFORM HEIGHT 14.10M

MAX HOR. OUTREACH 7.54M

LIFT CAPACITY 227KG

WIDTH 2.29M

UP & OVER CLEARANCE 7.54M

HEIGHT STOWED 2.06M

WEIGHT 6,033KG


MANUFACTURER

SKYJACK



WORKING HEIGHT

MAX. HORIZONTAL OUTREACH



CLICK ON

AERIALPLATFORMS.CO.UK

FOR OUR FULL TECHNICAL
DETAILS ON ALL OUR MACHINES



ONBOARD
GENERATOR



TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

160ATJ+

ARTICULATED
DIESEL BOOM LIFT

3b

WORKING HEIGHT 16.01M

PLATFORM HEIGHT 14.01M

MAX HOR. OUTREACH 8.95M

LIFT CAPACITY 400KG

WIDTH 2.30M


UP & OVER CLEARANCE 7.00M

HEIGHT STOWED 2.37M

WEIGHT 8,100KG

MANUFACTURER

MANITOU



CLICK ON
AERIALPLATFORMS.CO.UK
FOR OUR FULL TECHNICAL
DETAILS ON ALL OUR MACHINES

WORKING HEIGHT

MAX. HORIZONTAL OUTREACH



WWW.AERIALPLATFORMS.CO.UK



TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

200ATJ

ARTICULATED
DIESEL BOOM LIFT

3b

WORKING HEIGHT

20.00M

UP & OVER CLEARANCE

8.00M

PLATFORM HEIGHT

18.00M

HEIGHT STOWED

2.70M

MAX HOR. OUTREACH

12.00M

WEIGHT

10,000KG

LIFT CAPACITY

230KG

MANUFACTURER

MANITOU


WIDTH

2.40M



WORKING HEIGHT

MAX. HORIZONTAL OUTREACH



CLICK ON

AERIALPLATFORMS.CO.UK

FOR OUR FULL TECHNICAL
DETAILS ON ALL OUR MACHINES



TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

600AJ

ARTICULATED
DIESEL BOOM LIFT

3b

WORKING HEIGHT

20.46M

UP & OVER CLEARANCE

8.09M

PLATFORM HEIGHT

18.46M

HEIGHT STOWED

2.54M

MAX HOR. OUTREACH

12.10M

WEIGHT

10,455KG

LIFT CAPACITY


227KG

MANUFACTURER

JLG

WIDTH

2.49M



WORKING HEIGHT

MAX. HORIZONTAL OUTREACH



To find the right machine for your project, visit our website
and use our handy platform selector:

www.aerialplatforms.co.uk/platform-selector

TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

SJ63AJ

ARTICULATED
DIESEL BOOM LIFT

3b

WORKING HEIGHT 21.38M

PLATFORM HEIGHT 19.38M

MAX HOR. OUTREACH 12.90M

LIFT CAPACITY 227KG

WIDTH 2.44M

UP & OVER CLEARANCE 8.38M

HEIGHT STOWED 2.54M

WEIGHT 9,934KG


MANUFACTURER

SKYJACK



WORKING HEIGHT

MAX. HORIZONTAL OUTREACH



CLICK ON

AERIALPLATFORMS.CO.UK

FOR OUR FULL TECHNICAL
DETAILS ON ALL OUR MACHINES



ONBOARD
GENERATOR



TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

660SJ

STRAIGHT TELESCOPIC
DIESEL BOOM LIFT **3b**

WORKING HEIGHT

22.32M

WIDTH

2.49M

PLATFORM HEIGHT

20.32M

HEIGHT STOWED

2.57M

MAX HOR. OUTREACH

17.30M


WEIGHT

12,088KG

LIFT CAPACITY

227KG

MANUFACTURER



CLICK ON

AERIALPLATFORMS.CO.UK

FOR OUR FULL TECHNICAL
DETAILS ON ALL OUR MACHINES



ONBOARD
GENERATOR



WWW.AERIALPLATFORMS.CO.UK

TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

800AJ

ARTICULATED
DIESEL BOOM LIFT

3b

WORKING HEIGHT

26.38M

WIDTH

2.44M

PLATFORM HEIGHT

24.38M

HEIGHT STOWED

3.00M

MAX HOR. OUTREACH

15.80M

WEIGHT

15,558KG

LIFT CAPACITY


227KG

MANUFACTURER



WORKING HEIGHT

MAX. HORIZONTAL OUTREACH



CLICK ON

AERIALPLATFORMS.CO.UK

FOR OUR FULL TECHNICAL
DETAILS ON ALL OUR MACHINES



ONBOARD
GENERATOR



TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

280TJ

SEMI ARTICULATING
DIESEL BOOM LIFT

3b

WORKING HEIGHT

27.75M

WIDTH

2.43M

PLATFORM HEIGHT

25.75M

HEIGHT STOWED

2.75M

MAX HOR. OUTREACH

21.45M

WEIGHT



16,500KG

LIFT CAPACITY

350KG

MANUFACTURER

MANITOU



CLICK ON

AERIALPLATFORMS.CO.UK

FOR OUR FULL TECHNICAL
DETAILS ON ALL OUR MACHINES

WORKING HEIGHT

MAX. HORIZONTAL OUTREACH



WWW.AERIALPLATFORMS.CO.UK



TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

SJ85AJ

ARTICULATED
DIESEL BOOM LIFT

3b

WORKING HEIGHT 27.91M

PLATFORM HEIGHT 25.91M

MAX HOR. OUTREACH 17.07M

LIFT CAPACITY 227KG

WIDTH 2.49M

UP & OVER CLEARANCE 10.36M

HEIGHT STOWED 2.54M

WEIGHT 16,965KG


MANUFACTURER

SKYJACK



WORKING HEIGHT

MAX. HORIZONTAL OUTREACH



CLICK ON
AERIALPLATFORMS.CO.UK
FOR OUR FULL TECHNICAL
DETAILS ON ALL OUR MACHINES



TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

860SJ

STRAIGHT TELESCOPIC
DIESEL BOOM LIFT **3b**

WORKING HEIGHT

28.21M

WIDTH

2.49M

PLATFORM HEIGHT

26.21M

HEIGHT STOWED

3.05M

MAX HOR. OUTREACH

22.86M


WEIGHT

17,200KG

LIFT CAPACITY

230KG

MANUFACTURER



CLICK ON

AERIALPLATFORMS.CO.UK

FOR OUR FULL TECHNICAL
DETAILS ON ALL OUR MACHINES

WORKING HEIGHT

MAX. HORIZONTAL OUTREACH



WWW.AERIALPLATFORMS.CO.UK



TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

1250AJP

ARTICULATED
DIESEL BOOM LIFT

3b

WORKING HEIGHT 40.30M

PLATFORM HEIGHT 38.30M

MAX HOR. OUTREACH 19.25M

LIFT CAPACITY 230KG

HEIGHT STOWED 3.05M

WIDTH AXLES EXT 3.81M

WIDTH AXLES RETRACT 2.49M


WEIGHT 21,000KG

MANUFACTURER



WORKING HEIGHT

MAX. HORIZONTAL OUTREACH



**SUPERBOOM
DIVISION**

**SUPERBOOM
HANDOVER REQUIRED**



CLICK ON

AERIALPLATFORMS.CO.UK

FOR OUR FULL TECHNICAL
DETAILS ON ALL OUR MACHINES



**ONBOARD
GENERATOR**



TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

Z135/70

ARTICULATED
DIESEL BOOM LIFT

3b

WORKING HEIGHT

43.15M

WIDTH AXLES EXT

3.94M

PLATFORM HEIGHT

41.15M

WIDTH AXLES RETRACT

2.49M

MAX HOR. OUTREACH

21.26M

WEIGHT

21,092KG

LIFT CAPACITY



272KG

MANUFACTURER



HEIGHT STOWED

3.09M



CLICK ON

AERIALPLATFORMS.CO.UK

FOR OUR FULL TECHNICAL
DETAILS ON ALL OUR MACHINES



WWW.AERIALPLATFORMS.CO.UK

TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

1500AJP

ARTICULATED
DIESEL BOOM LIFT

3b

WORKING HEIGHT 48.15M

PLATFORM HEIGHT 46.15M

MAX HOR. OUTREACH 23.55M

LIFT CAPACITY 270KG

HEIGHT STOWED 3.10M

WIDTH AXLES EXT 5.00M

WIDTH AXLES RETRACT 2.50M


WEIGHT 26,027KG

MANUFACTURER **JLG**



WORKING HEIGHT

MAX. HORIZONTAL OUTREACH



CLICK ON

AERIALPLATFORMS.CO.UK

FOR OUR FULL TECHNICAL
DETAILS ON ALL OUR MACHINES



**SUPERBOOM
DIVISION**

**SUPERBOOM
HANDOVER REQUIRED**



**ONBOARD
GENERATOR**



TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

1850SJ

STRAIGHT TELESCOPIC
DIESEL BOOM LIFT **3b**

WORKING HEIGHT

58.56M

WIDTH AXLES EXT

5.03M

PLATFORM HEIGHT

56.56M

WIDTH AXLES RETRACT

2.49M

MAX HOR. OUTREACH

24.38M

WEIGHT

27,360KG

LIFT CAPACITY


230KG

MANUFACTURER




HEIGHT STOWED

3.05M



WWW.AERIALPLATFORMS.CO.UK



WORKING HEIGHT

MAX. HORIZONTAL OUTREACH



Have **YOU** got
the correct
operator Licence?



**Purpose built
training centre**

Indoor training area

**Training also
available at your
premises**

**All IPAF categories
and subjects
covered**

**Weekend training
courses**

New equipment

**Central Location
off the A580
East Lancs Road**

To find out more and book your training telephone:

01942 262 993

International Powered Access Federation
Info@ipaf.org
www.ipaf.org

**NEW INDOOR
ALL PURPOSE
TRAINING CENTRE
BOOK TODAY**

MM

MEWPs for Managers available here

Aerial Platforms Ltd, A12 Kenyon Court, Walter Leigh Way,
Moss Industrial Estate, Leigh, Lancashire, WN7 3PT

info@apltraining.co.uk

www.apltraining.co.uk



06

BI-ENERGY BOOM LIFTS

BI-ENERGY BOOM LIFTS

Ideal for a wide range of applications from construction and maintenance to stock picking. These outstanding machines deliver time and time again. The new Nifty HR28 Hybrid all wheel drive is just one of our new generation of machines. Working Heights up to 28.0m.



ADVANTAGES

- ✓ IDEAL FOR INDOORS AND OUTDOORS
- ✓ WILL LIFT 2 PEOPLE PLUS TOOLS
- ✓ NARROW WIDTHS
- ✓ CLEAN, QUIET ENGINES, IDEAL FOR WORKING AT NIGHT

TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

HR12NB

ARTICULATED BI-ENERGY
BOOM LIFT

3b

WORKING HEIGHT

12.20M

WIDTH

1.50M

PLATFORM HEIGHT

10.20M

HEIGHT STOWED

1.90M

MAX HOR. OUTREACH

6.10M

WEIGHT


3,435KG

LIFT CAPACITY

200KG

MANUFACTURER

niftylift



CLICK ON
AERIALPLATFORMS.CO.UK
FOR OUR FULL TECHNICAL
DETAILS ON ALL OUR MACHINES



WWW.AERIALPLATFORMS.CO.UK

TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

HR12NB 4X4

ARTICULATED BI-ENERGY
BOOM LIFT

3b

WORKING HEIGHT

12.20M

WIDTH

1.60M

PLATFORM HEIGHT

10.20M

HEIGHT STOWED

1.95M

MAX HOR. OUTREACH

6.10M

WEIGHT

3,470KG

LIFT CAPACITY

200KG


MANUFACTURER

niftylift



WORKING HEIGHT

MAX. HORIZONTAL OUTREACH



CLICK ON

AERIALPLATFORMS.CO.UK

FOR OUR FULL TECHNICAL
DETAILS ON ALL OUR MACHINES



TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

HR15N

ARTICULATED BI-ENERGY BOOM LIFT

3b

WORKING HEIGHT

15.50M

PLATFORM HEIGHT

13.50M

MAX HOR. OUTREACH

9.70M

CAGE ROTATION

180°

LIFT CAPACITY

225KG

WIDTH

1.50M

HEIGHT STOWED


1.99M

WEIGHT

7,250KG

MANUFACTURER

niftylift



CLICK ON
AERIALPLATFORMS.CO.UK
FOR OUR FULL TECHNICAL
DETAILS ON ALL OUR MACHINES

WORKING HEIGHT

MAX. HORIZONTAL OUTREACH



WWW.AERIALPLATFORMS.CO.UK

TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

HR17N

ARTICULATED BI-ENERGY BOOM LIFT

3b

WORKING HEIGHT 17.00M

PLATFORM HEIGHT 15.00M

MAX HOR. OUTREACH 9.70M

CAGE ROTATION 180°

LIFT CAPACITY 225KG

WIDTH 1.50M

HEIGHT STOWED 1.99M


WEIGHT 7,650KG

MANUFACTURER *niftylift*



WORKING HEIGHT

MAX. HORIZONTAL OUTREACH



CLICK ON

AERIALPLATFORMS.CO.UK

FOR OUR FULL TECHNICAL
DETAILS ON ALL OUR MACHINES



Scan the QR code found on the side of our machines for an in-date copy of the LOLER certificate and safety documents!

TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

HR21 BI

HYBRID AWD ARTICULATED
BI-ENERGY BOOM LIFT

3b

WORKING HEIGHT

20.80M

WIDTH

2.27M

PLATFORM HEIGHT

18.80M

HEIGHT STOWED

2.15M

MAX HOR. OUTREACH

12.80M

WEIGHT

6,660KG

CAGE ROTATION


100°

MANUFACTURER

niftylift

LIFT CAPACITY

225KG



CLICK ON
AERIALPLATFORMS.CO.UK
FOR OUR FULL TECHNICAL
DETAILS ON ALL OUR MACHINES



WWW.AERIALPLATFORMS.CO.UK

TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

HR21 D

AWD ARTICULATED
BOOM LIFT

3b

WORKING HEIGHT 20.80M

PLATFORM HEIGHT 18.80M

MAX HOR. OUTREACH 12.80M

CAGE ROTATION 100°

LIFT CAPACITY 225KG

WIDTH 2.27M

HEIGHT STOWED 2.15M



WEIGHT 6,660KG

MANUFACTURER *niftylift*



WORKING HEIGHT

MAX. HORIZONTAL OUTREACH



CLICK ON
AERIALPLATFORMS.CO.UK
FOR OUR FULL TECHNICAL
DETAILS ON ALL OUR MACHINES



TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

H800AJ

HYBRID AWD ARTICULATED
BOOM LIFT

3b

WORKING HEIGHT 26.38M

PLATFORM HEIGHT 24.38M

MAX HOR. OUTREACH 15.80M

CAGE ROTATION 180°


LIFT CAPACITY 230KG

WIDTH 2.49M

HEIGHT STOWED 3.00M

WEIGHT 16,110KG

MANUFACTURER **JLG**



CLICK ON

AERIALPLATFORMS.CO.UK

FOR OUR FULL TECHNICAL
DETAILS ON ALL OUR MACHINES

WORKING HEIGHT

MAX. HORIZONTAL OUTREACH



WWW.AERIALPLATFORMS.CO.UK



TO HIRE OR FOR MORE INFORMATION CALL:

0800 085 3709

HR28

HYBRID AWD ARTICULATED
BI-ENERGY BOOM LIFT

3b

WORKING HEIGHT 28.00M

PLATFORM HEIGHT 26.00M

MAX HOR. OUTREACH 19.00M

CAGE ROTATION 180°

LIFT CAPACITY 280KG

WIDTH 2.49M

HEIGHT STOWED 2.70M


WEIGHT 14,650KG

MANUFACTURER *niftylift*



WORKING HEIGHT

MAX. HORIZONTAL OUTREACH



CLICK ON

AERIALPLATFORMS.CO.UK

FOR OUR FULL TECHNICAL
DETAILS ON ALL OUR MACHINES





07

VAN & TRUCK MOUNTS AND SPIDER LIFTS

VAN & TRUCK MOUNTS AND SPIDER LIFTS

APL van and truck mounted platforms are perfect for multi site projects, with up to 26m working height available on a self drive basis. Ideal for many applications including highways, lighting, CCTV, building maintenance and signage. Working heights from 9m to 70m, with 4x4 options across the range for those difficult to access sites. All vehicles and spider lifts are available with an experienced IPAF trained operator which you can request at point of hire.

- ✓ IDEAL FOR MULTI SITE PROJECTS
- ✓ WILL LIFT 2 PEOPLE PLUS TOOLS
- ✓ SELF DRIVE AND OPERATED HIRE OPTIONS
- ✓ STORAGE AND PAYLOAD TO CARRY TOOLS AND MATERIALS



ETM36-F

13.20M

Working Height	13.20m
Outreach	9.00m
Platform Capacity	230kg
GVW	4,7t
Length	6.65m



B-LIFT 18

18M

Working Height	18.00m
Outreach	12.50m
Platform Capacity	300kg
GVW	3,5t
Length	6.81m



B-LIFT 20J

20M

Working Height	20.00m
Outreach	12.40m
Platform Capacity	300kg
GVW	3,5t
Length	7.00m



B-LIFT 27

27M

Working Height	27.00m
Outreach	13.00m
Platform Capacity	250kg
GVW	3,5t
Length	7.58m



S36XDT

36M

Working Height	36m
Outreach	27m
Platform Capacity	700kg
GVW	18t
Length	9.50m



S46XDT

46M

Working Height	46m
Outreach	25m
Platform Capacity	700kg
GVW	18t
Length	10.50m



S53XDT

53M

Working Height	53m
Outreach	35m
Platform Capacity	700kg
GVW	26t
Length	11.90m



S70XDT

70M

Working Height	70m
Outreach	36m
Platform Capacity	700kg
GVW	34t
Length	12.30m





LEO 15GT PLUS



Working Height	15.40m
Max Hor. Outreach	7.95m
Platform Capacity	200kg
Length Stowed	5.20m
Height Stowed	1.99m
Width	0.78m
Weight	2,200kg



LEO 21GT



Working Height	21.00m
Max Hor. Outreach	12.00m
Platform Capacity	250kg
Length Stowed	5.00m
Height Stowed	1.99m
Width	0.98m
Weight	3,000kg



LEO 23T REDLINE



Working Height	23.20m
Max Hor. Outreach	12.50m
Platform Capacity	200kg
Length Stowed	6.20m
Height Stowed	1.99m
Width	0.99m
Weight	3,050kg



LEO 31T REDLINE



Working Height	31.00m
Max Hor. Outreach	14.70m
Platform Capacity	250kg
Length Stowed	7.23m
Height Stowed	1.98m
Width	1.58m
Weight	4,300kg

GET THE RIGHT MEWP FOR YOUR JOB!

CHOOSE YOUR DIRECTION



CHOOSE YOUR WORKING ENVIRONMENT



CHOOSE YOUR SURFACE/TERRAIN



SEE YOUR RECOMMENDATIONS





TELEHANDLERS

APL provide a wide range of Telehandlers, from buggy scopic to a 20m Telehandler. They have a high fleet specification including four wheel drive, and tier IV low emission engines. With a huge range of payloads and lift heights these machines are designed to be manoeuvrable, versatile, powerful, durable and productive.



ADVANTAGES

- ✓ Up to 20m lift height
- ✓ Up to 15.9m outreach
- ✓ High fleet specification
- ✓ Tier IV low emission engines

FOR TELEHANDLER TRAINING CALL: 📞 01942 262 993



TELEHANDLERS

	524-50	525-60	531-70	533-105	535-125	535-140	540-170	540-180	540-200
Working Height	5.3M	6M	7M	10.22M	12.28M	13.78M	16.7M	17.51M	20M
Lift Capacity (full height)	2400KG	1750KG	2400KG	3300KG	3500KG	3000KG	2500KG	4000KG	1500KG
Lift Capacity (full reach)	1250KG	800KG	1250KG	1000KG	1150KG	1250KG	600KG	550KG	200KG
Max. lift capacity	2400KG	2500KG	3100KG	3300KG	3500KG	3500KG	4000KG	4000KG	4000KG
Reach at max. lift height	0.6M	0.15M	0.48M	1.91M	0.46M	0.93M	2.05M	1.88M	2.82M
Max. forward reach	2.9M	3.06M	3.7M	6.83M	8.06M	9.60M	12.50	13.34M	15.90M
Stabilisers	-	-	-	-	✓	✓	✓	✓	✓
Sway	-	-	-	-	✓	✓	✓	✓	✓
Manufacturer	JCB	JCB	JCB	JCB	JCB	JCB	JCB	JCB	JCB

ACCESS FOR ALL INDUSTRIES



FREEPHONE: 0800 085 3709



TRAINING

APL Training are the North West's premier Working at Height training provider, situated in a purpose built indoor and outdoor training facility just off the main A580 Manchester – Liverpool route.

FOR TRAINING CALL: ☎ 01942 262 993



We recognise that there are three vital elements that impact on how candidates absorb the course information:

- ✓ THE TRAINING ENVIRONMENT
- ✓ THE TRAINERS
- ✓ THE EQUIPMENT



📍 FOR MORE INFORMATION VISIT WWW.APLTRAINING.CO.UK



TRAINING AREAS

APL Training have made a considerable investment to provide both indoor and outdoor training areas, all with tarmac or concrete flooring, purpose built, well lit classrooms, workshop break out areas and allocated parking to ensure that training is delivered in a clean, safe and learning friendly facility, with no distractions.

DEDICATED PERSONNEL

APL Training employ dedicated trainers, who train each and every day. This ensures that the course content is delivered by a trainer whose sole focus is to help candidates learn, and one who understands how best to deliver course content to a wide variety of audiences.

EQUIPMENT

APL Training provide first class equipment for every course, always smart, clean and damage free. With a wide range of new equipment to choose from should you wish to become more familiar with a particular model or manufacturer during your course.

RANGE OF COURSES

APL Training offer a range of Work at Height courses from IPAF and PASMA, plus complimentary training from associated organisations.

WHO CAN ATTEND?

APL Training courses are available for Operators, Demonstrators, Instructors, Engineers and Managers.

Training courses are split between IPAF and PASMA certifications. Below is an overview of the courses available and with which certification you will be awarded upon completion.

MEWP / POWERED ACCESS COURSES

IPAF - Instructors

IPAF - Static Vertical (1a)

IPAF - Static Boom (1b)

IPAF - Mobile Vertical (3a)

IPAF - Mobile Boom (3b)

IPAF - Push Around Vertical (PAV)

IPAF - Specialist machines (SPECIAL)

IPAF - Harness Use & Inspection (H)

IPAF - Loading/Unloading (LOAD)

IPAF - MEWPs for Managers (MM)

MOBILE ACCESS TOWER COURSES

PASMA - Towers for Users

PASMA - Low Level Access

PASMA - Combined Low Level Access and Towers for Users

PASMA - Towers for Managers



WORK AT HEIGHT COURSES

PASMA - Work at Height Essentials Steps and Ladders, incorporating Working at Height Regulations



OPERATOR'S COURSES

1a

Static Vertical
Personnel Platform

3a

Mobile Vertical

1b

Static Boom

3b

Mobile Boom

PAV

Push Around Vertical (PAV)

WHAT ARE IPAF OPERATOR'S COURSES AND WHO SHOULD ATTEND?

A selection of essential training courses to instruct an operator to prepare and operate various types of Mobile Elevating Working Platforms (MEWPs).

This programme is designed for the operators of MEWPs and those looking to renew their operator licences.

KNOWLEDGE

By the end of the course delegates will:

- ✓ Be aware of relevant Health & Safety Regulations
- ✓ Be aware of accident prevention and control
- ✓ Be aware of the needs regarding personnel protection
- ✓ Be aware of the need to refer to the machines operating manual
- ✓ Be able to drive the MEWP safely and manoeuvre the machine as required, to correctly position and carry out the required tasks in a correct and proper manner, inside and outside the building

COURSE DURATION:	Two classifications in one day as standard (up to 3 days depending on categories taken and experience)
PPE REQUIRED:	Yes
LOCATION:	At our depot or on-site
TRAINING DELIVERY:	Classroom tutorials, theory tests, demonstrations and practical tests
CERTIFICATION	IPAF 5 year Powered Access License (PAL)



IPAF DEMONSTRATOR

The essential training course for any IPAF operator who is required to handover and familiarise powered access, such as boom and scissor lifts, to customers or work colleague.

KNOWLEDGE

By the end of the course delegates will learn:

- ✓ How to demonstrate and familiarise operators with their responsibilities when using powered access machines.
- ✓ How to demonstrate pre-operational and safe operating procedures as well as understanding the limitations of MEWPs

COURSE DURATION:	1-3 days
LOCATION:	At our depot or on-site
TRAINING DELIVERY:	<ul style="list-style-type: none">- Classroom tutorials and written tests.- Theory test- Demonstrations- Practical tests
DELEGATE NUMBERS:	<p>x4 when covering 2 Categories</p> <p>x6 when covering 1 Category</p>



IPAF MEWP HARNESS USE AND INSPECTION

The essential half day training course for any operator, supervisor or manager required to select, inspect and use harnesses and lanyards for usage on MEWPs.

KNOWLEDGE

By the end of the course delegates will:

- ✓ Have a greater understanding of the regulations and legislation relating to working at height.
- ✓ Know how to select the correct work equipment and restraint systems to reduce risk and prevent falls from height.
- ✓ Learn how to carry out inspections of equipment to ensure they are safe and fit for purpose.
- ✓ Learn how to confidently select and don a harness.
- ✓ Know how to inspect a harness.

COURSE DURATION:	Half day
LOCATION:	At our depot or on-site
TRAINING DELIVERY:	<ul style="list-style-type: none">- Classroom tutorials- Theory test- Demonstrations- Practical tests
DELEGATE NUMBERS:	x10 per session





IPAF MEWPS FOR MANAGERS

The essential one day training course for anyone who supervises or plans working at height.

WHO SHOULD ATTEND?

- ▶ Project managers, site managers, supervisors, team leaders, and all other on-site personnel responsible for supervising MEWPs
- ▶ Health and Safety managers with a responsibility for on site safety, sales staff, site surveyors and any other employee advising on powered access use
- ▶ Business owners and managers who have MEWPs operating on their premises

KNOWLEDGE

By the end of the course delegates will:

- ✓ Be aware of the importance of pre-use checks and daily maintenance carried out prior to commencing work
- ✓ Gain a better understanding of the regulations relevant to MEWP usage
- ✓ Know how to use the correct emergency procedures, capacities, and limitations to enable safe operation
- ✓ How to correctly select MEWPs and fall protection equipment

COURSE DURATION:	1 full day
LOCATION:	At our depot
TRAINING DELIVERY:	Classroom tutorials and written tests.
DELEGATE NUMBERS:	x10 per session



We also offer IPAF PAL+ courses across the UK. This category specific training is designed to complement the PAL course by providing operators with advanced practical experience of working in challenging environments.

WHO SHOULD ATTEND?

- ▶ Powered access users who have already obtained their IPAF PAL card in an applicable category
- ▶ Now a compulsory requirement from the UK Construction Group for netters and steel erectors since October 2013

KNOWLEDGE

By the end of the course delegates will:

- ✓ Receive guidance and be tested on safe work at height in challenging environments.
- ✓ Receive practical testing to overcome 'real life' challenges.
- ✓ Be provided with supplementary classroom based training to help develop delegate knowledge.

COURSE DURATION:	1 full day
LOCATION:	At one of our depots nationwide
TRAINING DELIVERY:	<ul style="list-style-type: none">- Practical training and testing alongside Classroom tutorials- Written tests- Interview to test operator knowledge
DELEGATE NUMBERS:	<ul style="list-style-type: none">x4 when covering 2 Categoriesx6 when covering 1 Category



info@ipaf.org
www.ipaf.org



SAFETY FIRST



**DO NOT
ATTACH YOUR
HARNESSTO ANY
STRUCTURE
OUTSIDE THE
PLATFORM**



**ADVERSE
WEATHER
CAN ALTER
GROUND
CONDITIONS**



**MINIMUM
DISTANCE
FROM POWER
LINES
MOUNTED
ON POLES
IS 9M**



**OVERLOADING
THE
PLATFORM IS
EXTREMELY
DANGEROUS**



**MINIMUM
SAFE
DISTANCE
FROM
MOUNTED
POWER LINES
IS 15M**



**DO NOT USE
THE MACHINE
AS A JACK
OR PROP**



**BARRICADE
AND ISOLATE
THE
WORK AREA**




**DO NOT
SUSPEND
LOADS UNDER
THE
PLATFORM**

WEIGHTS & LOADS

TYPICAL WEIGHTS

The average 'big' man weighs:



EXAMPLE LIVE (IMPOSED) LOADS

Self Contnd Dwellings:	1.50 kN/m ²
Bars & Public Areas:	5.00 kN/m ²
Offices - General:	2.50 kN/m ²
Filing Rooms:	5.00 kN/m ²
Boiler Rooms:	7.50 kN/m ²
Light Car Parking:	2.50 kN/m ²

SAFETY FIRST



BEAUFORT SCALE:

Always refer to the operators manual for the machine's maximum safe wind speed usage.

- | | |
|---|--|
| 0 | Calm (0-1mph) Calm, smoke rises vertically |
| 1 | Light air (1-3mph) Direction of the wind shown by smoke |
| 2 | Light breeze (4-7mph) Wind felt on face; leaves rustle; ordinary vanes moved by wind |
| 3 | Gentle breeze (8-12mph) Leaves and small twigs in constant motion; wind extends light flag |
| 4 | Moderate breeze (13-18mph) Raises dust and loose paper; small branches are moved |
| 5 | Fresh breeze (19-24mph) Small trees in leaf begin to sway; crested wavelets form on inland waterways |
| 6 | Strong breeze (25-31mph) Large branches in motion; whistling heard in telephone wires; umbrellas used with difficulty |
| 7 | Near gale (32-38mph) Whole trees in motion; inconvenience felt when walking against wind |
| 8 | Gale (39-46mph) Breaks twigs off trees; generally impedes progress |
| 9 | Strong gale (47-54mph) Slight structural damage occurs (chimney pots and slates removed) |

The essential one day training course for managers, supervisors and operatives who may need to construct, use and inspect Mobile Aluminium Towers (MATs).

WHO SHOULD ATTEND?

- ▶ Project managers, site managers, supervisors, team leaders, and all other on-site personnel responsible for supervising MATs.
- ▶ Health and Safety managers with a responsibility for on site safety, sales staff, site surveyors and any other employee advising on MATs use.
- ▶ Business owners and managers who have MATs in use on their premises.

KNOWLEDGE

By the end of the course delegates will learn:

- ✓ How to safely construct and deconstruct MATs
- ✓ How to correctly carry out a full safety inspection of towers
- ✓ A greater awareness of the hazards associated with towers
- ✓ The Personal Protective Equipment (PPE) required for working safely with MATs
- ✓ The safety regulations associated with the use of MATs

COURSE DURATION:	1 full day
LOCATION:	At our depot or on-site
TRAINING DELIVERY:	- Classroom tutorials and written tests. - Practical demonstrations are also included
DELEGATE NUMBERS:	x12 per session

The ideal course for anyone who works from low level access units and standard mobile access towers.

WHO SHOULD ATTEND?

- ▶ Project managers, site managers, supervisors, team leaders, and all other on-site personnel responsible for supervising MATs.
- ▶ Health and Safety managers with a responsibility for on site safety, sales staff, site surveyors and any other employee advising on MATs use.
- ▶ Business owners and managers who have MATs in use on their premises.

KNOWLEDGE

By the end of the course delegates will learn:

- ✓ How to safely assemble, dismantle and relocate low level access units and standard mobile aluminium towers without risk of personal injury to the delegate or others.
- ✓ Current legislation, regulations and guidances affecting working from access towers and low level towers.
- ✓ How to carry out inspections and maintain inspection records.
The hazards affecting the use of access towers and low level towers.

COURSE DURATION:	1 full day
LOCATION:	At our depot or on-site
TRAINING DELIVERY:	- Classroom tutorials and written tests. - Practical demonstrations are also included
DELEGATE NUMBERS:	x8 per session



10

ACCESSORIES

ACCESSORIES


Aerial Platforms Ltd provides a full range of additional products to aid the safe and efficient use of any powered access equipment. All the items detailed within this section are kept in stock and can either be provided with your machine or separately. Please ask one of our hire desk controllers for delivery costs as they vary upon location and order size.



DID YOU KNOW...

We also sell Spreader Pads, 5kva 16 & 32 amp transformers, and Spill kits.

📞 Call freephone **0800 085 3709** for more details



FOR MORE INFORMATION VISIT WWW.AERIALPLATFORMS.CO.UK



2 POINT SAFETY HARNESS WITH ADJUSTABLE LANYARD & BAG

IPAF Approved Lightweight full body work restraint, 2 point fail arrest harness. Adjustable at leg loops, shoulders and chest with new quick release style buckles. The adjustable rope lanyard adjusts from 1 metre to 1.5 metres including fittings. Each harness and lanyard are individually serial numbered for traceability and manufactured to CE EN361 & EN358 standards. The kit comes contained in a APL lightweight shoulder bag.



FLASHING BEACON

APL Supply flashing beacons on a variety of machines within our fleet, at the moment these are not a compulsory item and are more site specific, however, APL are able to retro-fit these to any type of machine as per our customer requirements.



CHARGING LEAD

110V, 16 amp, ideal for charging battery and bi-energy booms and scissor lifts.



SET OF 4 TYRE COVERS

When using rough terrain, diesel driven machinery on sensitive floor surfaces, tyre covers can prevent marks being caused from the black rubber tyres. APL Aerial Platforms Ltd can provide almost all sizes to fit all MEWPS.



DRIP TRAY (NAPPY)

There is a risk of any hydraulically operated machinery leaking oil from time to time, no matter how well maintained. Therefore if any such leak could cause damage to floor surfaces then the fitting of a drip tray can reduce this risk of contamination. The heavy duty polythene sheet is attached to the underside of the platform and is designed to catch the majority of any spill.



ARE YOU PAINTING?

Avoid costly charges, cover up!



WHEEL COVERS

To protect internal floors



HI-VIS DRIVER SAFETY HARNESS

This full body harness which has been integrated into a high visibility vest is ideal. The fall arrest attachment point on Integral extension strap eliminates discomfort caused whilst driving by removing all metalwork from the rear of the harness. The item is fitted with fast clip buckles and is adjustable at the leg loops, shoulder and chest.

Each harness is individually serial numbered for traceability and is manufactured to CE standards of: EN361, EN354 and EN471.



TRANSFORMER

240V to 110V - 5.5Kva Transformer. All machines are provided complete with a 110V plug for site regulations. These transformers allows you to convert your mains 240V to the correct voltage to charge your access product. This item comes complete with 2 x 16 amp sockets and will easily charge 2 x small battery scissor lifts at the same time.

Please note: for platforms in excess of 45ft platform height you will need a slightly larger 5.5K transformer dependant on tasks. We also hire these fully PAT tested.



HARNESSES

APL offer a range of harness kits, complete with lanyard, to suit all your needs. All readily available from Aerial Platforms Ltd.

Harnesses are lightweight and accredited to EN 361, whilst the accompanying adjustable, restraint lanyard is accredited to EN 354.

STANDARD KIT

- ▶ Ideal for the regular user
- ▶ Fully adjustable
- ▶ Two point harness
- ▶ Easy fit connectors
- ▶ Rip stitch indicators
- ▶ Complete with adjustable restraint lanyard
- ▶ Easy slot buckles

COMFORT KIT

- ▶ Ideal if you are wearing a harness all day
- ▶ All the benefits of the versatile standard kit
- ▶ Comfort packs
- ▶ Rip stitch indicators
- ▶ Easy slot buckles
- ▶ Complete with adjustable restraint lanyard
- ▶ Fully adjustable
- ▶ Two point harness

BUDGET KIT

- ▶ Ideal for the occasional user
- ▶ Single point harness
- ▶ Rear adjust
- ▶ Adjustable leg straps
- ▶ Complete with adjustable restraint lanyard

RESTRAINT LANYARD

- ▶ Made from 40kN webbing for greater strength
- ▶ Steel adjuster
- ▶ Length can be adjusted to suit the task in hand
- ▶ Adjustable restraint lanyard 1.5m

STANDARD KIT



COMFORT KIT



BUDGET KIT



RESTRAINT LANYARD



Is **YOUR** Machine Legal?

If you own any type of elevated work platform from push around verticals to articulating booms then they require a LOLER examination every six months as per the Health and Safety at Work act of 1974.



Why choose us to LOLER your machine?

- ✓ All of our engineers are fully CAP certified by IPAF
- ✓ We have a fleet of our own fully equipped service vans and offer national coverage
- ✓ We're flexible and can come to you at a time that suits you
- ✓ All certificates and documents for LOLER provided



To find out more please call freephone
0800 085 3709





11

SECONDARY GUARDING DEVICE

SECONDARY GUARDING DEVICE

With the new safety equipment on the market, which is widely recognised throughout the industry, APL have added a full range of Secondary Guarding devices to our rapidly growing fleet of Booms, enabling us to put our customers needs first and continue to offer the excellent service that is expected. Aerial Platforms Limited (APL) have embraced the new Secondary Guarding devices for all our telescopic booms, putting our customers safety first and foremost.





OPERATOR PROTECTIVE ALARM

DESIGNED TO BE AS UNOBTRUSIVE
AS POSSIBLE TO OPERATORS



The Genie Operator Protective Alarm (OPA) system is designed to alert ground personnel when an operator makes contact with the platform control panel by interrupting boom movement, sounding an alarm and causing a light to flash.

The system is designed to be as unobtrusive as possible to operators, featuring a pressure sensitive horizontal bar that is fitted at around waist height below the boom lift's control panel. When pressure is placed on the bar, as may be the case if an operator makes contact with an overhead obstacle, the system is activated. The system also features a reset button that can be pressed if the system is inadvertently activated.

FEATURES

- ✓ Stops boom movement
- ✓ Audible/Visual alarm
- ✓ Transportable
- ✓ Aftermarket availability
- ✓ Does not interfere with platform control visibility
- ✓ Does not require service



TO HIRE OR FOR MORE INFORMATION CALL: **0800 085 3709**



SKYGUARD™ Enhanced Control Panel Protection

SkyGuard™ is an innovation from JLG that provides operators with enhanced control panel protection that doesn't limit platform workspace or visibility. When the sensor is activated, SkyGuard stops all functions in use at the time of activation and its unique reverse functionality – the first feature of its kind in the market – temporarily reverses most functions for a short period of time. SkyGuard comes standard on all JLG boom lifts.

Advantages:

- SkyGuard can be activated from a variety of angles.
- No moveable parts means no need for maintenance.
- Break away feature for extreme conditions.
- Does not increase the platform profile or limit the use of the platform.



Operator moves towards
obstruction



Horn sounds upon operator
contact with the bar



The auto reverse feature
activates for most functions

Aerial Platforms Ltd
Denebrook Court
Greenfold Way
Leigh
Greater Manchester
WN7 3XJ

 **0800 085 3709**

 www.aerialplatforms.co.uk

 info@aerialplatforms.co.uk

SKYJACK SECONDARY GUARDING FEATURES

SGE

SECONDARY GUARDING - SGE - ELECTRICAL

The Skyjack SGE system features a sensor bar that, when pushed, instantly stops all functions and initiates an audible siren and high intensity flashing beacon. If the bar is released within one second the siren and beacon will cease and the selected function will return. If pressure is applied for more than one second the siren and beacon will continue to activate and the engine will stop, halting all functions until reset. The applicable emergency controls can still be operated to bring the platform down to ground safely. If the system is accidentally activated by the operator, it can be easily reset using the illuminated push button on the control box.

- Suitable for use on all Skyjack booms (2006 and later).
- Does not limit or restrict normal use.
- No moving parts, minimal maintenance required.



SGM

SECONDARY GUARDING - SGM - MECHANICAL

The Skyjack SGM system features a protective steel structure that is designed to reduce the possibility of the operator being held against the controls in the event of unintended contact with an obstruction. The system does not impair operator visibility, mobility on the platform or access to the work area.

- Suitable for use on all Skyjack booms (2006 and later).
- Easily installed by bolting directly to the platform without need for any modifications.
- Low weight (21kg) minimizes platform capacity reductions.
- Fleet flexibility - transferable between machines.



SGLE

SECONDARY GUARDING - SGLE - LIFT ENABLE

The control guard allows the machine's controls to be protected from accidental operation whilst still retaining clear visibility.

- Robust control box shroud provides additional guarding of controls; reducing the risk of unintended actuation.
- A secondary anti-tamper 'enable' button located on the side of the control box.
- Robust design
- Now available on all of our electric and diesel scissors upon request



**NOW
AVAILABLE
FOR
SCISSORS**

OPTIONAL EXTRAS

CHALWYN VALVES

These provide emergency overspeed shutdown protection for diesel engines and are the most effective way of preventing a runaway situation.



SPARK ARRESTORS

Spark Arrestors prevent the emission of flammable debris from the exhaust of diesel MEWPs which could cause fires or explosions if nearby to flammable substances.

PROTECTIVE SCREEN

Can be fitted to the basket of the MEWP to reduce the risk of falling items at height.



TRACK UNIT

To minimise theft and reduce the amount of unauthorised use of the machine, key pads can be fitted upon request and require the operator to enter a predefined code to gain access to the machine's functions.

FOR MORE INFO FREEPHONE: 0800 085 3709

HT340M DIESEL EXHAUST FILTER

The HT340M Magnetic Diesel Exhaust Filter Kit is designed to filter the hazardous particulate fumes from diesel MEWPs should they be required for work in sensitive environments.



DID YOU KNOW..

Health & safety legislation requires that diesel engine exhaust emissions are controlled whenever they could create a health hazard.

Key Features of the HT340M:

- ✓ Compact and lightweight
- ✓ Removes 95% of particulate from diesel engine exhausts
- ✓ Long-lasting high efficiency filter element
- ✓ Complies with COSHH regulations
- ✓ Proven performance

Technical Specifications:

Weight	18kg
Length	430mm
Width	250mm
Height	300mm
Engine kW rating that filter is suitable for	60kW



FOR MORE INFO FREEPHONE: 0800 085 3709




Aerial Platforms Ltd invest in SiOPS

SiOPS - Sustained Involuntary Operation System

Aerial Platforms Limited are offering a safe and efficient way to working at height on our Mobile Elevating Work Platforms (MEWPS). Occasionally operators can become trapped between the machine and surrounding objects forcing their torso onto the controls. SiOPS © reacts instantly when it senses the operator being forced onto the controls. By removing the operators reaction time SiOPS © greatly reduces the potential trap injury.

SiOPS © Eliminates Sustained Involuntary Operation

SiOPS © Eliminates sustained involuntary operation by instantly interrupting all machine movement if an operator is pushed against the cage controls and addresses a known contributing factor in trapping incidents and gives the operator a vital second chance.



nifty
SiOPS®
Sustained Involuntary Operation prevention system



0800 085 3709

www.aerialplatforms.co.uk
info@aerialplatforms.co.uk

0800 085 3709

DISTANCE

CONVERSION CHART

Metric to Imperial (m x 3.281 = ft)

m	ft	m	ft	m	ft	m	ft
6.0	- 19' 8"	23.0	- 75' 6"	40.0	- 131' 3"	57.0	- 187' 0"
6.5	- 21' 4"	23.5	- 77' 1"	40.5	- 132' 10"	57.5	- 188' 8"
7.0	- 23' 0"	24.0	- 78' 9"	41.0	- 134' 6"	58.0	- 190' 3"
7.5	- 24' 7"	24.5	- 80' 4"	41.5	- 136' 2"	58.5	- 191' 11"
8.0	- 26' 4"	25.0	- 82' 0"	42.0	- 137' 10"	59.0	- 193' 7"
8.5	- 27' 11"	25.5	- 83' 7"	42.5	- 139' 6"	59.5	- 195' 2"
9.0	- 29' 4"	26.0	- 85' 3"	43.0	- 141' 1"	60.0	- 196' 9"
9.5	- 31' 2"	26.5	- 86' 11"	43.5	- 142' 9"	60.5	- 198' 6"
10.0	- 32' 10"	27.0	- 88' 7"	44.0	- 144' 5"	61.0	- 200' 1"
10.5	- 34' 6"	27.5	- 90' 3"	44.5	- 146' 0"	61.5	- 201' 9"
11.0	- 36' 1"	28.0	- 91' 9"	45.0	- 147' 7"	62.0	- 203' 5"
11.5	- 37' 10"	28.5	- 93' 6"	45.5	- 149' 3"	62.5	- 205' 0"
12.0	- 39' 5"	29.0	- 95' 1"	46.0	- 150' 11"	63.0	- 206' 8"
12.5	- 41' 0"	29.5	- 96' 9"	46.5	- 152' 7"	63.5	- 208' 3"
13.0	- 42' 8"	30.0	- 98' 4"	47.0	- 154' 3"	64.0	- 209' 11"
13.5	- 44' 3"	30.5	- 100' 1"	47.5	- 155' 10"	64.5	- 211' 8"
14.0	- 45' 11"	31.0	- 101' 10"	48.0	- 157' 6"	65.0	- 213' 3"
14.5	- 47' 7"	31.5	- 103' 5"	48.5	- 159' 1"	65.5	- 214' 11"
15.0	- 49' 2"	32.0	- 105' 0"	49.0	- 160' 9"	66.0	- 216' 6"
15.5	- 50' 10"	32.5	- 106' 8"	49.5	- 162' 5"	66.5	- 218' 3"
16.0	- 52' 6"	33.0	- 108' 3"	50.0	- 164' 1"	67.0	- 219' 10"
16.5	- 54' 1"	33.5	- 109' 11"	50.5	- 165' 9"	67.5	- 212' 6"
17.0	- 55' 9"	34.0	- 111' 7"	51.0	- 167' 4"	68.0	- 223' 1"
17.5	- 57' 5"	34.5	- 113' 2"	51.5	- 168' 11"	68.5	- 224' 9"
18.0	- 59' 1"	35.0	- 114' 10"	52.0	- 170' 7"	69.0	- 226' 4"
18.5	- 60' 8"	35.5	- 116' 6"	52.5	- 172' 3"	69.5	- 228' 0"
19.0	- 62' 3"	36.0	- 118' 1"	53.0	- 173' 10"	70.0	- 229' 8"
19.5	- 63' 11"	36.5	- 119' 9"	53.5	- 175' 6"	70.5	- 231' 4"
20.0	- 65' 7"	37.0	- 121' 5"	54.0	- 177' 2"	71.0	- 232' 11"
20.5	- 67' 3"	37.5	- 123' 0"	54.5	- 178' 10"	71.5	- 234' 7"
21.0	- 68' 11"	38.0	- 124' 8"	55.0	- 180' 6"	72.0	- 236' 2"
21.5	- 70' 7"	38.5	- 126' 4"	55.5	- 182' 1"	72.5	- 237' 5"
22.0	- 72' 2"	39.0	- 127' 11"	56.0	- 183' 9"	73.0	- 239' 6"
22.5	- 73' 9"	39.5	- 129' 7"	56.5	- 185' 4"	73.5	- 241' 1"

DISTANCE CONVERSION CHART

Imperial to Metric (ft x 0.3048 = m)

ft	m	ft	m
15	- 4.57	150	- 45.72
20	- 6.10	155	- 47.24
25	- 7.62	160	- 48.77
30	- 9.14	165	- 50.29
35	- 10.67	170	- 51.82
40	- 12.19	175	- 53.34
45	- 13.72	180	- 54.86
50	- 15.24	185	- 56.39
55	- 16.76	190	- 57.91
60	- 18.29	195	- 59.44
65	- 19.81	200	- 60.96
70	- 21.34	205	- 62.48
75	- 22.86	210	- 64.01
80	- 24.38	215	- 65.53
85	- 25.91	220	- 67.06
90	- 27.43	225	- 68.58
95	- 28.96	230	- 70.10
100	- 30.48	235	- 71.63
105	- 32.00	240	- 73.15
110	- 33.53	245	- 74.68
115	- 35.05	250	- 76.20
120	- 36.58	255	- 77.72
125	- 38.10	260	- 79.24
130	- 39.62	265	- 80.77
135	- 41.15	270	- 82.30
140	- 42.67	275	- 83.82
145	- 44.20	280	- 85.34



**CARRY OUT YOUR
OWN SITE SURVEYS**

**ASK YOUR ACCOUNT
MANAGER HOW!**

WEIGHT

CONVERSION CHART

Metric to Imperial (kg x 2.204 = lbs)

kg		lbs
----	--	-----

500	-	1,102
1,000	-	2,204
1,500	-	3,306
2,000	-	4,409
2,500	-	5,511
3,000	-	6,613
3,500	-	7,716
4,000	-	8,188
4,500	-	9,920
5,000	-	11,023
5,500	-	12,125
6,000	-	13,227
6,500	-	14,330
7,000	-	15,432
7,500	-	16,534
8,000	-	17,636
8,500	-	18,739
9,000	-	19,841
9,500	-	20,943
10,000	-	22,046
10,500	-	23,148
11,000	-	24,250
11,500	-	25,353
12,000	-	26,455
12,500	-	27,557
13,000	-	28,660
13,500	-	29,762
14,000	-	30,864
14,500	-	31,966
15,000	-	33,069
15,500	-	34,171
16,000	-	35,273
16,500	-	36,376
17,000	-	37,478

kg		lbs
----	--	-----

17,500	-	38,580
18,000	-	39,683
18,500	-	40,785
19,000	-	41,887
19,500	-	42,990
20,000	-	44,092
20,500	-	45,194
21,000	-	46,297
21,500	-	47,399
22,000	-	48,501
22,500	-	49,603
23,000	-	50,706
23,500	-	51,808
24,000	-	52,910
24,500	-	54,013
25,000	-	55,115
25,500	-	56,217
26,000	-	57,320
26,500	-	58,422
27,000	-	59,524
27,500	-	60,627
28,000	-	61,729
28,500	-	62,831
29,000	-	63,933
29,500	-	65,036
30,000	-	66,138
30,500	-	67,240
31,000	-	68,343
31,500	-	69,445
32,000	-	70,547
32,500	-	71,650
33,000	-	72,752
33,500	-	73,854
34,000	-	74,957

kg		lbs
----	--	-----

34,500	-	76,059
35,000	-	77,161
35,500	-	78,264
36,000	-	79,366
36,500	-	80,468
37,000	-	81,570
37,500	-	82,673
38,000	-	83,775
38,500	-	84,877
39,000	-	85,980
39,500	-	87,082
40,000	-	88,184
40,500	-	89,287
41,000	-	90,389
41,500	-	91,491
42,000	-	92,594
42,500	-	93,696
43,000	-	94,798
43,500	-	95,900
44,000	-	97,003
44,500	-	98,105
45,000	-	99,207
45,500	-	100,310
46,000	-	101,412
46,500	-	102,514
47,000	-	103,617
47,500	-	104,719
48,000	-	105,792
48,500	-	106,924
49,000	-	108,026
49,500	-	109,128
50,000	-	110,231
50,500	-	111,333
51,000	-	112,435

WEIGHT

CONVERSION CHART

Imperial to Metric (lbs x 0.4536 = kg)

lbs	kg
-----	----

1,000	-	453
2,000	-	907
3,000	-	1,360
4,000	-	1,814
5,000	-	2,267
6,000	-	2,721
7,000	-	3,175
8,000	-	3,628
9,000	-	4,082
10,000	-	4,535
11,000	-	4,989
12,000	-	5,443
13,000	-	5,896
14,000	-	6,350
15,000	-	6,803
16,000	-	7,257
17,000	-	7,711
18,000	-	8,164
19,000	-	8,618
20,000	-	9,071
21,000	-	9,525
22,000	-	9,979
23,000	-	10,432
24,000	-	10,886
25,000	-	11,339
26,000	-	11,793
27,000	-	12,246
28,000	-	12,700
29,000	-	13,154
30,000	-	13,607
31,000	-	14,061
32,000	-	14,514
33,000	-	14,968
34,000	-	15,422

lbs	kg
-----	----

35,000	-	15,875
36,000	-	16,329
37,000	-	16,782
38,000	-	17,236
39,000	-	17,690
40,000	-	18,143
41,000	-	18,597
42,000	-	19,050
43,000	-	19,504
44,000	-	19,958
45,000	-	20,411
46,000	-	20,865
47,000	-	21,318
48,000	-	21,772
49,000	-	22,226
50,000	-	22,679
51,000	-	23,133
52,000	-	23,586
53,000	-	24,040
54,000	-	24,493
55,000	-	24,947
56,000	-	25,401
57,000	-	25,854
58,000	-	26,308
59,000	-	26,761
60,000	-	27,215
61,000	-	27,669
62,000	-	28,122
63,000	-	28,576
64,000	-	29,029
65,000	-	29,483
66,000	-	29,937
67,000	-	30,390
68,000	-	30,844

lbs	kg
-----	----

69,000	-	31,297
70,000	-	31,751
71,000	-	32,205
72,000	-	32,658
73,000	-	33,112
74,000	-	33,565
75,000	-	34,019
76,000	-	34,472
77,000	-	34,926
78,000	-	35,380
79,000	-	35,833
80,000	-	36,287
81,000	-	36,740
82,000	-	37,194
83,000	-	37,648
84,000	-	38,101
85,000	-	38,555
86,000	-	39,008
87,000	-	39,462
88,000	-	39,916
89,000	-	40,369
90,000	-	40,823
91,000	-	41,276
92,000	-	41,730
93,000	-	42,184
94,000	-	42,637
95,000	-	43,091
96,000	-	43,544
97,000	-	43,998
98,000	-	44,452
99,000	-	44,905
100,000	-	45,359
101,000	-	45,812
102,000	-	46,266

MONTHLY OFFERS

CALL TO BOOK





0800 085 3709

WWW.AERIALPLATFORMS.CO.UK



Celebrating Over 10 Years
Years of Quality Service



@AERIALPLATFORM1



BIT.LY/AERIALPLATFORMS



AERIAL PLATFORMS



APL AERIAL PLATFORMS LIMITED



AERIALPLATFORMS



ISO ACCREDITED COMPANY

© COPYRIGHT 2019