



PRODUCT GUIDE



0800 085 3709
AERIALPLATFORMS.CO.UK

 **PART OF THE CENTURION GROUP**

Aerial Platforms Ltd. (APL) are recognised as one of the UK's leading single source MEWP rental companies, dedicated to making powered access simple. With a modern fleet and many years experience, we offer a full range of MEWP's for hire and sale, coupled with an extensive fleet of Telehandlers.

We offer a powered access platform hire service that combines convenience with affordability. Our new and well-serviced fleet comprises of:

- > **Electric Scissor Lifts**
- > **Electric Boom Lifts**
- > **Diesel Scissor Lifts**
- > **Diesel Boom Lifts**
- > **Tracked Access**
- > **Self Drive Van Mounts**
- > **Push Around Verticals (PAVs)**

We also offer **Bi-Energy models**, further reducing your carbon footprint.



0800 085 3709

AERIALPLATFORMS.CO.UK

CONTENTS

01

02

03

04

05

06

07

08

09

10

11

CONSTRUCTION PLANT-HIRE ASSOCIATION (CPA)

All APL machines are hired out, under **CPA (October 2021) Terms & Conditions of Hire**, whereby the HIRER is responsible for any loss or damage to the equipment hired. Damage costs in use can be extremely high, and if the machine is lost or stolen, the full replacement cost could **exceed 100 times the weekly hire rate**.

APL offers two levels of indemnity protection: **APL Protect** and **APL Protect+**. These provide customers with indemnity against machine damage charges and other liabilities, subject to meeting the basic obligations under the hire contract (exclusions apply).

APL Protect and **APL Protect+** are indemnity schemes, operated solely by APL, and is **NOT** an insurance policy. No Underwriters or Third Parties are involved.

To take advantage of **APL Protect** and **APL Protect+**, register your interest with your Hire Desk Controller, and the extra charge will be added to your hire invoice.

Additional Exclusions apply to both schemes. Theft, vandalism and malicious damage or damage resulting from the negligence of the operator. The first £1,000 of any claim (except accidental damage), theft, malicious damage or vandalism **DURING NON-WORKING HOURS** when the equipment is **NOT** stored in a locked area when not in use.

Full Terms and Conditions are available on request or download at:

aerialplatforms.co.uk/apl-protect/

A Smart Way to
Protection and
Peace of Mind.



0800 085 3709
AERIALPLATFORMS.CO.UK



PROTECT YOURSELF AGAINST EXPENSIVE COSTS OF MACHINE DAMAGE

Benefit from our **APL Protect** and **APL Protect+** indemnity schemes and give yourself peace of mind when hiring a machine that any accidental damage costs will be taken care of.

The potential damage costs can often run into the thousands due to the high initial buy price of the machine. Below is an example of the typical prices it costs to repair this Diesel Scissor.

HANDRAIL
£3,500

CONTROL BOX
£700

CAGE
£3,500

ENGINE
£8,000

BATTERIES
£1,900

TYRES
£1,500

MACHINE COST
£19,000



HOW TO USE THIS PRODUCT GUIDE

This guide is designed to help you select and order the correct pieces of equipment to suit any job you undertake. Below is a breakdown of how information is displayed throughout.

1 Product Code

A unique reference number for the product.

2 Product Type

Indicates the product's classification.

3 Technical Specification

All of the relevant technical specifications for each product.

4 Key

See below for a breakdown of each icon.

5 Working Envelope

This shows the area of working space provided by the product.

6 Additional Product Perks

Extra product advantages will be displayed here e.g. **Fume Free**.

7 IPAF Classification Code

Indicates which IPAF classification the product falls under.

See 'Training' for further details.

Please note: Machine weights may vary depending on specification and optional features. All weights shown are approximate and should be used as a guide only. Product images are shown for illustration purposes only. E&OE.

KEY

 **Battery**

 **Diesel**

 **Hybrid**

 **4x4**

 **Jack Legs**

 **Non-marking tyres**

 **Power to Platform**

 **Basket Rotation**

TO HIRE OR FOR MORE INFORMATION CALL **0800 085 3709**

1 **BA44RT**

2 **ARTICULATED DIESEL BOOM LIFT**

3

WORKING HEIGHT	44.06M	UP & OVER CLEARANCE	18.78M
PLATFORM HEIGHT	42.06M	HEIGHT STOWED	3.08M
MAX. HOR. OUTREACH	20.62M	WEIGHT	23,010KG
LIFT CAPACITY	272KG	MANUFACTURER	DINGLI

4

5

6

7

0800 085 3709
ALPHA PLATFORMS.CO.UK

APL

STAY CONNECTED WITH APL

Make sure you keep up to date with all the latest news, products and deals we have to offer by staying connected with us across our social media channels:



@aerialplatforms1



@aerialplatforms



@aerialplatform1



apl-aerial-platforms-ltd



@aerialplatforms



@aerialplatformsltd


For further information or general enquiries,
please visit our website or email us at:



aerialplatforms.co.uk



info@aerialplatforms.co.uk



MACHINE SALES

If you use powered access equipment on a daily basis, it may make good business sense to purchase.

Whether you're looking at a second hand machine from our fleet or a brand new one straight from the manufacturer. APL have the knowledge and experience to help you find the best machine at the best price.

Not only this, but we also offer preferential rates on machine servicing and LOLER inspections ensuring you can keep your machine safe and legal at an affordable price.

FOR MORE INFO FREEPHONE: 0800 085 3709



Scan the QR code to browse the current machines we have to offer and then be sure to give us a call should you require any further information.



NATIONAL COVERAGE

No matter where in the UK you're working, APL are able to meet your powered access requirements and supply high quality machines at affordable prices thanks to our strategically positioned depots across the UK. This coupled with our first-class service ensures you can rest easy knowing your requirements are being taken care of with the utmost of care and professionalism.



LOCATIONS

SAFETY AND REGULATIONS



If you're working at height, it's important to understand the legislation and regulations which apply to you. The Work at Height Regulations (2005) apply to all working at height where there is a risk of a fall liable to cause personal injury. These regulations are a key starting point for anyone responsible for individuals completing, supervising or planning work at height.



The Work at Height Regulations 2005 - A Brief Guide

 aerialplatforms.co.uk/work-at-height-regs/

Working at Height - A Brief Guide

 aerialplatforms.co.uk/working-at-height/



PUWER Regulations 1998

 aerialplatforms.co.uk/puwer-1998/

LOLER Regulations 1998

 aerialplatforms.co.uk/lifting-regs-1998/

Further documents can be found on our website:

 aerialplatforms.co.uk/our-downloads

0800 085 3709
AERIALPLATFORMS.CO.UK





DAY OR NIGHT



WE HAVE YOU COVERED!

APL GROUP

0800 085 3709
AERIALPLATFORMS.CO.UK



EQUIPMENT PRE-HIRE CHECKLIST

Before you place your order, follow this check list of criteria to ensure you get the right machine for the job.



WORKING HEIGHT

Make sure to measure the height you will need to reach before hand. It is worth baring in mind when selecting a MEWP that the working height is 2 m above the platform height of the machine. For boom type lifts make sure to check the working envelopes in the specification guide as the maximum outreach decreases the higher you go up.



WORKING ENVIRONMENT

For indoor work it is best to look for an electric machine. These emit zero emissions and produce little noise when in operation unlike diesel machines.

When working outdoors or on sites where there is no available charging points, we recommend using a diesel machine.

The third option is to get the best of both worlds and go down the bi-energy route. These have the option to switch between diesel and electric when needed.



WHO'S OPERATING?

Anyone operating a MEWP will need to have undergone their IPAF training for the correct category of machine they will be using. At APL we can provide full IPAF training in order to get operatives trained and competent in using aerial work platforms. Visit our training website for more information.



GROUND CONDITIONS

For finished floors we recommend using non-marking tyres and for extra sensitive environments, wheel covers.

On unfinished surfaces choose a diesel machine and remember to consider whether you will need a 4 wheel drive machine if the ground is particularly uneven.

For jobs where the machine will need to be on a slope, look for machines with outriggers as these will be required for the machine to function properly.



ARE THERE ANY RESTRICTIONS?

- ▶ Will the machine be required to fit through a doorway or entrance?
- ▶ Are there any low ceilings that could hinder the machine from passing through?
- ▶ Are the ground conditions suitable for the machine to travel across when positioning?
- ▶ Are there any overhead power lines that could pose a risk?



EXTERNAL FACTORS

If you are working by a nearby road, have you taken into account measures on how to prevent any collisions?

YOUR SAFETY OUR SOLUTION

Whether you're working on a standard push around, one of our Super Booms or anything in between, safety should always be the number one priority. Be sure that you're familiarised with the machine you're using BEFORE work commences by scanning the QR Code found on the side of our machines and reading through the operator's manual. You can also find a copy of the machine's latest LOLER certificate [here](#), ensuring the machine is safe to use.





01

**PUSH
AROUND
VERTICALS
(PAVs)**

PUSH AROUND VERTICALS (PAVs)

Push Around Verticals are the safer solution for low level, indoor access, providing a cost-effective new way to work safely at height. Push Around Verticals are robust, easy to use and simple to maintain.



ADVANTAGES

- ✓ LOW LEVEL ENTRY POINT
- ✓ NO OUTRIGGERS
- ✓ EASILY PASS THROUGH STANDARD DOORWAYS
- ✓ FITS INTO PASSENGER LIFTS
- ✓ LIGHTWEIGHT AND COMPACT

TO HIRE OR FOR MORE INFORMATION CALL


0800 085 3709

S3010P/S3210P

PUSH AROUND
VERTICAL LIFT

PAV

WORKING HEIGHT	5.00M	WIDTH	0.75/0.8M
PLATFORM HEIGHT	3.00M	LENGTH	1.20M
HEIGHT STOWED	1.80M	WEIGHT	382/484KG
LIFT CAPACITY	240KG	MANUFACTURER	Snorkel



0800 085 3709
AERIALPLATFORMS.CO.UK

TO HIRE OR FOR MORE INFORMATION CALL


0800 085 3709

0507C

PUSH AROUND
VERTICAL LIFT

PAV

WORKING HEIGHT	5.00M	WIDTH	0.75M
PLATFORM HEIGHT	3.00M	LENGTH	1.31M
HEIGHT STOWED	1.80M	WEIGHT	398KG
LIFT CAPACITY	240KG	MANUFACTURER	DINGLI



SCAN FOR FULL SPEC



0800 085 3709
AERIALPLATFORMS.CO.UK



TO HIRE OR FOR MORE INFORMATION CALL


0800 085 3709

0607C

PUSH AROUND
VERTICAL LIFT

PAV

WORKING HEIGHT	5.90M	WIDTH	0.75M
PLATFORM HEIGHT	3.90M	LENGTH	1.31M
HEIGHT STOWED	1.88M	WEIGHT	480KG
LIFT CAPACITY	240KG	MANUFACTURER	DINGLI



STAY CONNECTED!



@aerialplatforms1



@aerialplatform1



@aerialplatforms



@aerialplatforms



apl-aerial-platforms-ltd



@aerialplatformsltd



TO HIRE OR FOR MORE INFORMATION CALL


0800 085 3709

PECO LIFT

MANUAL PUSH AROUND
VERTICAL LIFT

PAV

WORKING HEIGHT	3.50M	WIDTH	0.70M
PLATFORM HEIGHT	1.50M	LENGTH	0.985M
HEIGHT STOWED	1.55M	WEIGHT	180KG
LIFT CAPACITY	150KG	MANUFACTURER	JLG



SCAN FOR FULL SPEC



0800 085 3709
AERIALPLATFORMS.CO.UK



TO HIRE OR FOR MORE INFORMATION CALL


0800 085 3709

ECO LIFT

MANUAL PUSH AROUND
VERTICAL LIFT

PAV

WORKING HEIGHT	4.20M	WIDTH	0.70M
PLATFORM HEIGHT	2.20M	LENGTH	1.28M
HEIGHT STOWED	1.94M	WEIGHT	305KG
LIFT CAPACITY	150KG	MANUFACTURER	JLG



0800 085 3709
AERIALPLATFORMS.CO.UK



Why use PAVs?

- 1 Safer to use ladders
- 2 No harmful emissions
- 3 Fast and easy to use

Why use APL?

- 1 Next day delivery
- 2 Reliable and fast
- 3 High quality machines

0800 085 3709
AERIALPLATFORMS.CO.UK





02

ELECTRIC SCISSOR LIFTS

ELECTRIC SCISSOR LIFTS

These highly manoeuvrable electric scissor lifts are the perfect choice for internal and external applications. These versatile lifts come in a variety of models featuring roll out deck extensions, tight turning circle's and zero emissions.



ADVANTAGES

- ✓ ULTRA NARROW AISLE
- ✓ INTERNAL AND EXTERNAL USE
- ✓ NON-MARKING TYRES
- ✓ HEIGHTS UP TO 32.0 METRES
- ✓ DIRECT DRIVE ELECTRIC MACHINES FOR GREATER EFFICIENCY
- ✓ LIGHT-WEIGHT MODELS FROM 495KG

TO HIRE OR FOR MORE INFORMATION CALL


0800 085 3709

S3010E

ELECTRIC SCISSOR LIFT

3a

WORKING HEIGHT	5.00M	WIDTH	0.77M
PLATFORM HEIGHT	3.00M	DECK EXTENSION	N/A
HEIGHT STOWED	1.80M	WEIGHT	495KG
LIFT CAPACITY	227KG	MANUFACTURER	snorkel



0800 085 3709
AERIALPLATFORMS.CO.UK

TO HIRE OR FOR MORE INFORMATION CALL


0800 085 3709

0507PA

ELECTRIC SCISSOR LIFT

3a

WORKING HEIGHT	5.05M	WIDTH	0.77M
PLATFORM HEIGHT	3.05M	DECK EXTENSION	N/A
HEIGHT STOWED	1.60M	WEIGHT	570KG
LIFT CAPACITY	230KG	MANUFACTURER	DINGLI



SCAN FOR FULL SPEC



0800 085 3709
AERIALPLATFORMS.CO.UK



TO HIRE OR FOR MORE INFORMATION CALL


0800 085 3709

0607DC

ELECTRIC SCISSOR LIFT

3a

WORKING HEIGHT	5.60M	WIDTH	0.76M
PLATFORM HEIGHT	3.60M	DECK EXTENSION	0.60M
HEIGHT STOWED	2.03M	WEIGHT	880KG
LIFT CAPACITY	240KG	MANUFACTURER	DINGLI



SCAN FOR FULL SPEC



0800 085 3709
AERIALPLATFORMS.CO.UK

TO HIRE OR FOR MORE INFORMATION CALL

0800 085 3709

0707DC

ELECTRIC SCISSOR LIFT

3a

WORKING HEIGHT

6.50M

WIDTH

0.76M

PLATFORM HEIGHT

4.50M

DECK EXTENSION

0.60M

HEIGHT STOWED

2.00M

WEIGHT


950KG

LIFT CAPACITY

240KG

MANUFACTURER

DINGLI



SCAN FOR FULL SPEC



0800 085 3709
AERIALPLATFORMS.CO.UK



TO HIRE OR FOR MORE INFORMATION CALL


0800 085 3709

1930ES

ELECTRIC
SCISSOR LIFT

3a

WORKING HEIGHT	7.72M	WIDTH	0.76M
PLATFORM HEIGHT	5.72M	DECK EXTENSION	0.90M
HEIGHT STOWED	2.02M	WEIGHT	1,565KG
LIFT CAPACITY	230KG	MANUFACTURER	JLG



SCAN FOR FULL SPEC



0800 085 3709
AERIALPLATFORMS.CO.UK

TO HIRE OR FOR MORE INFORMATION CALL

0800 085 3709

SJ3219

ELECTRIC SCISSOR LIFT

3a

WORKING HEIGHT

7.62M

WIDTH

0.81M

PLATFORM HEIGHT

5.79M

DECK EXTENSION

0.91M

HEIGHT STOWED

1.99M

WEIGHT


1,312KG

LIFT CAPACITY

249KG

MANUFACTURER

SKYJACK



SCAN FOR FULL SPEC



0800 085 3709
AERIALPLATFORMS.CO.UK



TO HIRE OR FOR MORE INFORMATION CALL


0800 085 3709

0807DC

ELECTRIC
SCISSOR LIFT

3a

WORKING HEIGHT	7.80M	WIDTH	0.76M
PLATFORM HEIGHT	5.80M	DECK EXTENSION	0.90M
HEIGHT STOWED	2.18M	WEIGHT	1,415KG
LIFT CAPACITY	230KG	MANUFACTURER	DINGLI



SCAN FOR FULL SPEC



0800 085 3709
AERIALPLATFORMS.CO.UK

TO HIRE OR FOR MORE INFORMATION CALL


0800 085 3709

0807AC+

ELECTRIC
SCISSOR LIFT

3a

WORKING HEIGHT	7.80M	WIDTH	0.76M
PLATFORM HEIGHT	5.80M	DECK EXTENSION	0.90M
HEIGHT STOWED	2.15M	WEIGHT	1,630KG
LIFT CAPACITY	272KG	MANUFACTURER	DINGLI



SCAN FOR FULL SPEC



0800 085 3709
AERIALPLATFORMS.CO.UK



TO HIRE OR FOR MORE INFORMATION CALL


0800 085 3709

2632ES

ELECTRIC
SCISSOR LIFT

3a

WORKING HEIGHT	9.77M	WIDTH	0.81M
PLATFORM HEIGHT	7.77M	DECK EXTENSION	0.90M
HEIGHT STOWED	2.37M	WEIGHT	2,135KG
LIFT CAPACITY	230KG	MANUFACTURER	JLG



SCAN FOR FULL SPEC



0800 085 3709
AERIALPLATFORMS.CO.UK

TO HIRE OR FOR MORE INFORMATION CALL


0800 085 3709

SJ3226

ELECTRIC
SCISSOR LIFT

3a

WORKING HEIGHT	9.75M	WIDTH	0.81M
PLATFORM HEIGHT	7.92M	DECK EXTENSION	0.91M
HEIGHT STOWED	2.15M	WEIGHT	1,876KG
LIFT CAPACITY	227KG	MANUFACTURER	SKYJACK



SCAN FOR FULL SPEC



0800 085 3709
AERIALPLATFORMS.CO.UK



TO HIRE OR FOR MORE INFORMATION CALL


0800 085 3709

1008AC+

ELECTRIC SCISSOR LIFT

3a

WORKING HEIGHT	10.00M	WIDTH	0.83M
PLATFORM HEIGHT	8.10M	DECK EXTENSION	0.90M
HEIGHT STOWED	2.36M	WEIGHT	2,325KG
LIFT CAPACITY	272KG	MANUFACTURER	JLG



SCAN FOR FULL SPEC



0800 085 3709
AERIALPLATFORMS.CO.UK

TO HIRE OR FOR MORE INFORMATION CALL


0800 085 3709

1012AC+

ELECTRIC
SCISSOR LIFT

3a

WORKING HEIGHT	10.00M	WIDTH	1.15M
PLATFORM HEIGHT	8.00M	DECK EXTENSION	0.90M
HEIGHT STOWED	2.36M	WEIGHT	2,750KG
LIFT CAPACITY	450KG	MANUFACTURER	DINGLI



SCAN FOR FULL SPEC



0800 085 3709
AERIALPLATFORMS.CO.UK



TO HIRE OR FOR MORE INFORMATION CALL

0800 085 3709

1012DC

ELECTRIC SCISSOR LIFT

3a

WORKING HEIGHT

10.00M

WIDTH

1.15M

PLATFORM HEIGHT

8.00M

DECK EXTENSION

0.90M

HEIGHT STOWED

2.32M

WEIGHT


2,655KG

LIFT CAPACITY

450KG

MANUFACTURER

DINGLI



SCAN FOR FULL SPEC



0800 085 3709
AERIALPLATFORMS.CO.UK

TO HIRE OR FOR MORE INFORMATION CALL


0800 085 3709

1212AC+

ELECTRIC
SCISSOR LIFT

3a

WORKING HEIGHT	12.00M	WIDTH	1.15M
PLATFORM HEIGHT	10.00M	DECK EXTENSION	0.90M
HEIGHT STOWED	2.49M	WEIGHT	3,060KG
LIFT CAPACITY	408KG	MANUFACTURER	DINGLI



SCAN FOR FULL SPEC



0800 085 3709
AERIALPLATFORMS.CO.UK



TO HIRE OR FOR MORE INFORMATION CALL


0800 085 3709

3246ES

ELECTRIC
SCISSOR LIFT

3a

WORKING HEIGHT	11.68M	WIDTH	1.17M
PLATFORM HEIGHT	9.68M	DECK EXTENSION	1.27M
HEIGHT STOWED	2.39M	WEIGHT	2,905KG
LIFT CAPACITY	320KG	MANUFACTURER	JLG



SCAN FOR FULL SPEC



0800 085 3709
AERIALPLATFORMS.CO.UK

TO HIRE OR FOR MORE INFORMATION CALL


0800 085 3709

GS-3232

SELF LEVELLING ELECTRIC
SCISSOR LIFT

3a

WORKING HEIGHT	11.50M	WIDTH	0.81M
PLATFORM HEIGHT	9.50M	PLATE LGTH. INC. DEC. EXT	3.18M
DRIVE HEIGHT	6.71M	WEIGHT	2,352KG
MIN. PLATFORM HEIGHT	2.03M	MANUFACTURER	Genie
LIFT CAPACITY	227KG		



IT CAN
WORK ON
SLOPED
AREAS



SCAN FOR FULL SPEC



0800 085 3709
AERIALPLATFORMS.CO.UK



TO HIRE OR FOR MORE INFORMATION CALL

0800 085 3709

1208AC

ELECTRIC
SCISSOR LIFT

3a

WORKING HEIGHT

12.00M

WIDTH

0.83M

PLATFORM HEIGHT

10.00M

DECK EXTENSION

0.90M

HEIGHT STOWED

2.51M

WEIGHT


3,150KG

LIFT CAPACITY

250KG

MANUFACTURER

DINGLI



SCAN FOR FULL SPEC



0800 085 3709
AERIALPLATFORMS.CO.UK

TO HIRE OR FOR MORE INFORMATION CALL


0800 085 3709

1412DC

ELECTRIC
SCISSOR LIFT

3a

WORKING HEIGHT	13.80M	WIDTH	1.19M
PLATFORM HEIGHT	11.80M	DECK EXTENSION	0.90M
HEIGHT STOWED	2.59M	WEIGHT	2,880KG
LIFT CAPACITY	320KG	MANUFACTURER	DINGLI



SCAN FOR FULL SPEC



0800 085 3709
AERIALPLATFORMS.CO.UK



TO HIRE OR FOR MORE INFORMATION CALL


0800 085 3709

1412AC+

ELECTRIC
SCISSOR LIFT

3a

WORKING HEIGHT	13.80M	WIDTH	1.19M
PLATFORM HEIGHT	11.80M	DECK EXTENSION	0.90M
HEIGHT STOWED	2.48M	WEIGHT	3,380KG
LIFT CAPACITY	408KG	MANUFACTURER	DINGLI



SCAN FOR FULL SPEC



0800 085 3709
AERIALPLATFORMS.CO.UK

TO HIRE OR FOR MORE INFORMATION CALL

0800 085 3709

1612DC

ELECTRIC
SCISSOR LIFT

3a

WORKING HEIGHT

15.70M

WIDTH

1.25M

PLATFORM HEIGHT

13.70M

DECK EXTENSION

0.90M

HEIGHT STOWED

2.59M

WEIGHT


3,180KG

LIFT CAPACITY

200KG

MANUFACTURER

DINGLI



DRIVEABLE
AT FULL
HEIGHT



SCAN FOR FULL SPEC



0800 085 3709
AERIALPLATFORMS.CO.UK



TO HIRE OR FOR MORE INFORMATION CALL


0800 085 3709

1612AC+

ELECTRIC
SCISSOR LIFT

3a

WORKING HEIGHT	15.70M	WIDTH	1.25M
PLATFORM HEIGHT	13.70M	DECK EXTENSION	0.90M
HEIGHT STOWED	2.62M	WEIGHT	3,390KG
LIFT CAPACITY	363KG	MANUFACTURER	JLG



DRIVABLE
AT FULL
HEIGHT



SCAN FOR FULL SPEC



0800 085 3709
AERIALPLATFORMS.CO.UK

TO HIRE OR FOR MORE INFORMATION CALL


0800 085 3709

1912DCL

ELECTRIC SCISSOR LIFT

3a

WORKING HEIGHT	19.00M	WIDTH	1.25M
PLATFORM HEIGHT	17.00M	DECK EXTENSION	1.20 M
HEIGHT STOWED	3.24M	WEIGHT	7,140KG
LIFT CAPACITY	500KG	MANUFACTURER	DINGLI



DRIVABLE
AT FULL
HEIGHT



SCAN FOR FULL SPEC



Keep up-to-date with APL by signing-up to our Newsletter.
Just scan the QR code or visit this link: <http://eepurl.com/bP0ZKj>



Your personal data is safe and secure.

TO HIRE OR FOR MORE INFORMATION CALL


0800 085 3709

2212DC

ELECTRIC SCISSOR LIFT

3a

WORKING HEIGHT	22.00M	WIDTH	1.25M
PLATFORM HEIGHT	20.00M	DECK EXTENSION	1.80M
HEIGHT STOWED	3.82M	WEIGHT	12,540KG
LIFT CAPACITY	750KG	MANUFACTURER	DINGLI



DRIVABLE
AT FULL
HEIGHT



SCAN FOR FULL SPEC



0800 085 3709
AERIALPLATFORMS.CO.UK

TO HIRE OR FOR MORE INFORMATION CALL


0800 085 3709

2223DC

ELECTRIC SCISSOR LIFT

3a

WORKING HEIGHT	22.00M	WIDTH	2.46M
PLATFORM HEIGHT	20.00M	DECK EXTENSION	2.70M
HEIGHT STOWED	3.86M	WEIGHT	13,400KG
LIFT CAPACITY	750KG	MANUFACTURER	DINGLI



DRIVABLE
AT FULL
HEIGHT



SCAN FOR FULL SPEC



0800 085 3709
AERIALPLATFORMS.CO.UK



TO HIRE OR FOR MORE INFORMATION CALL


0800 085 3709

3214DC

ELECTRIC
SCISSOR LIFT

3a

WORKING HEIGHT	32.00M	WIDTH	1.40M
PLATFORM HEIGHT	30.00M	DECK EXTENSION	1.90M
HEIGHT STOWED	4.16M	WEIGHT	22,600KG
LIFT CAPACITY	750KG	MANUFACTURER	DINGLI



SCAN FOR FULL SPEC



0800 085 3709
AERIALPLATFORMS.CO.UK

SUPERFLEET

DIVISION

FROM

APL GROUP



HIGH-LEVEL SCISSOR & BOOM LIFTS
RANGING FROM

22^m-48^m

**AVAILABLE TO HIRE
NATIONALLY!**

CONTACT US TODAY FOR MORE INFO!

0800 085 3709
AERIALPLATFORMS.CO.UK

Aerial Platforms Ltd., Denebrook Court, Greenfold Way, Leigh WN7 3FZ



03

**DIESEL
SCISSOR
LIFTS**

DIESEL SCISSOR LIFTS

A full range of diesel scissor lifts with working heights up to 32m allowing you to reach almost any application on site. All our diesel scissor lifts are equipped with four-wheel drive and deliver excellent platform space, great load capacity and rough terrain capability.



ADVANTAGES

- ✓ ALL DIESEL MACHINES ARE 4 WHEEL DRIVE
- ✓ FOAM FILLED ALL TERRAIN TYRES
- ✓ ALL HAVE LEVELLING JACKS
- ✓ COMPACT WIDTHS AVAILABLE
- ✓ DOUBLE DECK EXTENSION
- ✓ DIESEL GENERATOR OPTION

TO HIRE OR FOR MORE INFORMATION CALL


0800 085 3709

SJ6826RT

DIESEL
SCISSOR LIFT

3a

WORKING HEIGHT	9.92M	WIDTH	1.76M
PLATFORM HEIGHT	7.92M	DECK EXTENSION	1.52M
HEIGHT STOWED	2.37M	WEIGHT	3,305KG
LIFT CAPACITY	567KG	MANUFACTURER	SKYJACK



SCAN FOR FULL SPEC

TO HIRE OR FOR MORE INFORMATION CALL


0800 085 3709

SJ6832RT

DIESEL
SCISSOR LIFT

3a

WORKING HEIGHT	11.75M	WIDTH	1.76M
PLATFORM HEIGHT	9.75M	DECK EXTENSION	1.52M
HEIGHT STOWED	2.51M	WEIGHT	3,475KG
LIFT CAPACITY	454KG	MANUFACTURER	SKYJACK



SCAN FOR FULL SPEC

APL GROUP **SUPERSCISSOR**
DIVISION

SUPER SCISSOR
HANDOVER REQUIRED

0800 085 3709
AERIALPLATFORMS.CO.UK

APL GROUP

TO HIRE OR FOR MORE INFORMATION CALL


0800 085 3709

1218RT

DIESEL
SCISSOR LIFT

3a

WORKING HEIGHT	12.0M	WIDTH	1.76M
PLATFORM HEIGHT	10.0M	DECK EXTENSION	1.43M
HEIGHT STOWED	2.59M	WEIGHT	4,300KG
LIFT CAPACITY	454KG	MANUFACTURER	DINGLI



SCAN FOR FULL SPEC

TO HIRE OR FOR MORE INFORMATION CALL


0800 085 3709

SJ8841RT

DIESEL
SCISSOR LIFT

3a

WORKING HEIGHT	14.50M	WIDTH	2.21M
PLATFORM HEIGHT	12.50M	DECK EXTENSION X2	1.22M
HEIGHT STOWED	2.90M	WEIGHT	6,173KG
LIFT CAPACITY	68 1KG	MANUFACTURER	SKYJACK



SCAN FOR FULL SPEC

0800 085 3709
AERIALPLATFORMS.CO.UK



TO HIRE OR FOR MORE INFORMATION CALL

0800 085 3709

1418RT

DIESEL
SCISSOR LIFT

3a

WORKING HEIGHT

14.30M

WIDTH

1.76M

PLATFORM HEIGHT

12.30M

DECK EXTENSION

1.43M

HEIGHT STOWED

2.74M

WEIGHT


5,050KG

LIFT CAPACITY

363KG

MANUFACTURER

DINGLI



SCAN FOR FULL SPEC

TO HIRE OR FOR MORE INFORMATION CALL


0800 085 3709

SJ9241RT

DIESEL
SCISSOR LIFT

3a

WORKING HEIGHT	14.50M	WIDTH	2.30M
PLATFORM HEIGHT	12.50M	DECK EXTENSION X2	1.43M
HEIGHT STOWED	2.80M	WEIGHT	6,715KG
LIFT CAPACITY	681KG	MANUFACTURER	SKYJACK



SCAN FOR FULL SPEC

0800 085 3709
AERIALPLATFORMS.CO.UK



TO HIRE OR FOR MORE INFORMATION CALL


0800 085 3709

SJ9243RT

DIESEL
SCISSOR LIFT

3a

WORKING HEIGHT	14.94M	WIDTH	2.30M
PLATFORM HEIGHT	13.11M	DECK EXTENSION	1.52M
HEIGHT STOWED	2.96M	WEIGHT	7,250KG
LIFT CAPACITY	907KG	MANUFACTURER	SKYJACK



SCAN FOR FULL SPEC

TO HIRE OR FOR MORE INFORMATION CALL


0800 085 3709

SJ9250RT

DIESEL
SCISSOR LIFT

3a

WORKING HEIGHT	17.07M	WIDTH	2.34M
PLATFORM HEIGHT	15.24M	DECK EXTENSION	1.52M
HEIGHT STOWED	3.17M	WEIGHT	6,895KG
LIFT CAPACITY	680KG	MANUFACTURER	SKYJACK



SCAN FOR FULL SPEC

0800 085 3709
AERIALPLATFORMS.CO.UK



TO HIRE OR FOR MORE INFORMATION CALL

0800 085 3709

SJ9253RT

DIESEL
SCISSOR LIFT

3a

WORKING HEIGHT

17.98M

WIDTH

2.30M

PLATFORM HEIGHT

16.15M

DECK EXTENSION

1.52M

HEIGHT STOWED

3.19M

WEIGHT


8,045KG

LIFT CAPACITY

680KG

MANUFACTURER

SKYJACK



SCAN FOR FULL SPEC

TO HIRE OR FOR MORE INFORMATION CALL


0800 085 3709

1823MRT2

DIESEL
SCISSOR LIFT

3a

WORKING HEIGHT	18.00M	WIDTH	2.33M
PLATFORM HEIGHT	16.00M	DECK EXTENSION X2	1.43/1.13M
HEIGHT STOWED	3.23M	WEIGHT	8,840KG
LIFT CAPACITY	680KG	MANUFACTURER	DINGLI



SCAN FOR FULL SPEC

0800 085 3709
AERIALPLATFORMS.CO.UK



TO HIRE OR FOR MORE INFORMATION CALL


0800 085 3709

SJ9664RT

DIESEL
SCISSOR LIFT

3a

WORKING HEIGHT	21.34M	WIDTH	2.44M
PLATFORM HEIGHT	19.51M	DECK EXTENSION X2	1.52M
HEIGHT STOWED	3.61M	WEIGHT	9,750KG
LIFT CAPACITY	513KG	GRADEABILITY	30%
PLAT. LGTH DECK EXT.	7.21M	MANUFACTURER	SKYJACK



SCAN FOR FULL SPEC

TO HIRE OR FOR MORE INFORMATION CALL


0800 085 3709

2223RTA

DIESEL
SCISSOR LIFT

3a

WORKING HEIGHT	22.00M	WIDTH	2.27M
PLATFORM HEIGHT	20.00M	DECK EXTENSION	2.00M
HEIGHT STOWED	3.68M	WEIGHT	12,040KG
LIFT CAPACITY	750KG	MANUFACTURER	DINGLI



SCAN FOR FULL SPEC

APL GROUP **SUPERSCISSOR**
DIVISION

SUPER SCISSOR
HANDOVER REQUIRED

0800 085 3709
AERIALPLATFORMS.CO.UK

APL GROUP

TO HIRE OR FOR MORE INFORMATION CALL


0800 085 3709

2825RT

DIESEL
SCISSOR LIFT

3a

WORKING HEIGHT	28.00M	WIDTH	2.50M
PLATFORM HEIGHT	26.00M	DECK EXTENSION	2.10M
HEIGHT STOWED	4.13M	WEIGHT	19,800KG
LIFT CAPACITY	1000KG	MANUFACTURER	DINGLI



SCAN FOR FULL SPEC

APL GROUP **SUPERSCISSOR**
DIVISION

SUPER SCISSOR
HANDOVER REQUIRED

APL GROUP

0800 085 3709
AERIALPLATFORMS.CO.UK

TO HIRE OR FOR MORE INFORMATION CALL


0800 085 3709

3225RT

DIESEL
SCISSOR LIFT

3a

WORKING HEIGHT	32.00M	WIDTH	2.55M
PLATFORM HEIGHT	30.00M	DECK EXTENSION	2.10M
HEIGHT STOWED	4.13M	WEIGHT	23,950KG
LIFT CAPACITY	1,000KG	MANUFACTURER	DINGLI



SCAN FOR FULL SPEC



SUPERSCISSOR
DIVISION

SUPER SCISSOR
HANDOVER REQUIRED

0800 085 3709
AERIALPLATFORMS.CO.UK





04

ELECTRIC
BOOM
LIFTS

ELECTRIC BOOM LIFTS

Market leading battery powered boom lifts combining clean and quiet operation with superb manoeuvrability. Ideal for working at height in narrow aisles but equally suited for industrial maintenance applications. Working heights up to 22.21m.



ADVANTAGES

- ✓ **NARROW AISLE MODELS**
- ✓ **MULTI-ACTION JIB**
- ✓ **CLOSED SPACE APPLICATIONS**
- ✓ **LONG DUTY CYCLES**
- ✓ **NON-MARKING TYRES**

TO HIRE OR FOR MORE INFORMATION CALL

0800 085 3709

TM12E

ELECTRIC MAST
BOOM LIFT

3a

WORKING HEIGHT

5.65M

HEIGHT STOWED

1.67M

PLATFORM HEIGHT

3.65M

WEIGHT

1,016KG

LIFT CAPACITY


227KG

MANUFACTURER

snorkel

WIDTH

0.76M



SCAN FOR FULL SPEC



0800 085 3709
AERIALPLATFORMS.CO.UK

TO HIRE OR FOR MORE INFORMATION CALL


0800 085 3709

AMWP7-8100L (DL15)

ELECTRIC MAST BOOM LIFT

3a

WORKING HEIGHT	6.70M	HEIGHT STOWED	1.99M
PLATFORM HEIGHT	4.70M	WEIGHT	990KG
LIFT CAPACITY	200KG	MANUFACTURER	DINGLI
WIDTH	0.76M		



SCAN FOR FULL SPEC



0800 085 3709
AERIALPLATFORMS.CO.UK



TO HIRE OR FOR MORE INFORMATION CALL

0800 085 3709

SJ16

ELECTRIC MAST BOOM LIFT

3a

WORKING HEIGHT

6.75M

HEIGHT STOWED

1.79M

PLATFORM HEIGHT

4.75M

WEIGHT

971KG

LIFT CAPACITY


227KG

MANUFACTURER

SKYJACK

WIDTH

0.77M



SCAN FOR FULL SPEC



FUME
FREE



0800 085 3709
AERIALPLATFORMS.CO.UK

TO HIRE OR FOR MORE INFORMATION CALL

0800 085 3709

AMWP8-1200 (DL20)

ELECTRIC MAST
BOOM LIFT

3a

WORKING HEIGHT

8.00M

HEIGHT STOWED

1.99M

PLATFORM HEIGHT

6.00M

WEIGHT

1,285KG

LIFT CAPACITY


159KG

MANUFACTURER

DINGLI

WIDTH

0.80M



SCAN FOR FULL SPEC



0800 085 3709
AERIALPLATFORMS.CO.UK



TO HIRE OR FOR MORE INFORMATION CALL

0800 085 3709

AMWP11.5-8200 (DL11.5)

ELECTRIC MAST BOOM LIFT

3a

WORKING HEIGHT

11.20M

HEIGHT STOWED

1.99M

PLATFORM HEIGHT

9.20M

WEIGHT

2,970KG

LIFT CAPACITY


200KG

MANUFACTURER

DINGLI

WIDTH

1.00M



SCAN FOR FULL SPEC



0800 085 3709
AERIALPLATFORMS.CO.UK

TO HIRE OR FOR MORE INFORMATION CALL


0800 085 3709

JLG10E

ELECTRIC MAST BOOM LIFT

3a

WORKING HEIGHT	10.10M	WIDTH	0.99M
PLATFORM HEIGHT	8.10M	HEIGHT STOWED	1.99M
MAX. HOR. OUTREACH	3.08M	WEIGHT	2,990KG
LIFT CAPACITY	200KG	MANUFACTURER	DINGLI



SCAN FOR FULL SPEC



0800 085 3709
AERIALPLATFORMS.CO.UK



TO HIRE OR FOR MORE INFORMATION CALL


0800 085 3709

100VJR

ELECTRIC MAST BOOM LIFT

3a

WORKING HEIGHT	9.90M	WIDTH	0.99M
PLATFORM HEIGHT	7.90M	HEIGHT STOWED	1.99M
MAX. HOR. OUTREACH	3.15M	WEIGHT	2,650KG
LIFT CAPACITY	200KG	MANUFACTURER	 MANITOU



SCAN FOR FULL SPEC



0800 085 3709
AERIALPLATFORMS.CO.UK

TO HIRE OR FOR MORE INFORMATION CALL


0800 085 3709

SJ30ARJE

ELECTRIC
BOOM LIFT

3b

WORKING HEIGHT	10.82M	WIDTH	1.19 M
PLATFORM HEIGHT	9.00M	HEIGHT STOWED	1.98M
MAX. HOR. OUTREACH	6.26M	WEIGHT	5,588KG
LIFT CAPACITY	227KG	MANUFACTURER	SKYJACK



SCAN FOR FULL SPEC



0800 085 3709
AERIALPLATFORMS.CO.UK



TO HIRE OR FOR MORE INFORMATION CALL

0800 085 3709

BA11NE

ELECTRIC
BOOM LIFT

3b

WORKING HEIGHT	10.80M	WIDTH	1.20M
PLATFORM HEIGHT	8.80M	HEIGHT STOWED	2.00M
MAX. HOR. OUTREACH	6.35M	WEIGHT	6,660KG
LIFT CAPACITY	227KG	MANUFACTURER	DINGLI



SCAN FOR FULL SPEC



0800 085 3709
AERIALPLATFORMS.CO.UK

TO HIRE OR FOR MORE INFORMATION CALL


0800 085 3709

120AETJ-C

ELECTRIC
BOOM LIFT

3b

WORKING HEIGHT	11.95M	WIDTH	1.20M
PLATFORM HEIGHT	9.95M	LENGTH	5.48M
HEIGHT STOWED	1.99M	WEIGHT	6,660KG
LIFT CAPACITY	200KG	MANUFACTURER	 MANITOU



SCAN FOR FULL SPEC



If you're working at height, be sure to check out all of the health and safety documents here:

 aerialplatforms.co.uk/our-downloads



TO HIRE OR FOR MORE INFORMATION CALL


0800 085 3709

E300AJP

ELECTRIC
BOOM LIFT

3b

WORKING HEIGHT	10.97M	WIDTH	1.22M
PLATFORM HEIGHT	8.97M	LENGTH	2.01M
MAX. HOR. OUTREACH	6.77M	WEIGHT	7,100KG
LIFT CAPACITY	230KG	MANUFACTURER	JLG



SCAN FOR FULL SPEC



0800 085 3709
AERIALPLATFORMS.CO.UK

TO HIRE OR FOR MORE INFORMATION CALL


0800 085 3709

TOUCAN 12E+

ELECTRIC MAST
BOOM LIFT

3a

WORKING HEIGHT	12.65M	WIDTH	1.20M
PLATFORM HEIGHT	10.65M	HEIGHT STOWED	1.99M
MAX. HOR. OUTREACH	6.05M	WEIGHT	4,900KG
LIFT CAPACITY	200KG	MANUFACTURER	JLG



SCAN FOR FULL SPEC



0800 085 3709
AERIALPLATFORMS.CO.UK



TO HIRE OR FOR MORE INFORMATION CALL


0800 085 3709

A38E

ELECTRIC
BOOM LIFT

3b

WORKING HEIGHT	13.50M	WIDTH	1.50M
PLATFORM HEIGHT	11.50M	HEIGHT STOWED	2.00M
MAX. HOR. OUTREACH	6.10M	WEIGHT	3,880KG
LIFT CAPACITY	215KG	MANUFACTURER	snorkel



SCAN FOR FULL SPEC



0800 085 3709
AERIALPLATFORMS.CO.UK

TO HIRE OR FOR MORE INFORMATION CALL


0800 085 3709

BA17NE

ELECTRIC
BOOM LIFT

3b

WORKING HEIGHT	17.00M	WIDTH	1.50M
PLATFORM HEIGHT	15.00M	HEIGHT STOWED	2.07M
MAX. HOR. OUTREACH	9.70M	WEIGHT	7,950KG
LIFT CAPACITY	227KG	MANUFACTURER	DINGLI



SCAN FOR FULL SPEC



0800 085 3709
AERIALPLATFORMS.CO.UK



TO HIRE OR FOR MORE INFORMATION CALL

0800 085 3709

BA22ERT

ELECTRIC
BOOM LIFT

3b

WORKING HEIGHT

22.21M

WIDTH

2.29M

PLATFORM HEIGHT

20.21M

HEIGHT STOWED

2.49M

MAX. HOR. OUTREACH

12.72M

WEIGHT


10,100KG

LIFT CAPACITY

230KG

MANUFACTURER

DINGLI



SCAN FOR FULL SPEC



0800 085 3709
AERIALPLATFORMS.CO.UK

TO HIRE OR FOR MORE INFORMATION CALL

0800 085 3709

BT30ERT

ELECTRIC
BOOM LIFT

3b

WORKING HEIGHT

30.20M

WIDTH

2.50M

PLATFORM HEIGHT

28.20M

HEIGHT STOWED

2.96M

MAX. HOR. OUTREACH

23.00M

WEIGHT


18,900KG

LIFT CAPACITY

300KG

MANUFACTURER

DINGLI



SCAN FOR FULL SPEC



SUPERBOOM
DIVISION

SUPER BOOM
HANDOVER REQUIRED



0800 085 3709
AERIALPLATFORMS.CO.UK





05
—

**DIESEL
BOOM
LIFTS**

DIESEL BOOM LIFTS

Designed for tough job applications, combining superb manoeuvrability and power where you need it most. With articulating jibs and outstanding working envelopes these powerful, rugged boom lifts give you everything you need for challenging access solutions.



ADVANTAGES

- ✓ UP TO 48M WORKING HEIGHT
- ✓ 4 WHEEL DRIVE OPTION
- ✓ FOAM FILLED TYRES
- ✓ 20M WORKING HEIGHT AT LESS THAN 10 TONNES
- ✓ 28M SPECIFICATION

TO HIRE OR FOR MORE INFORMATION CALL

0800 085 3709

MAN'GO 12

ARTICULATED
DIESEL BOOM LIFT

3b

WORKING HEIGHT

11.91M

UP & OVER CLEARANCE

4.80M

PLATFORM HEIGHT

9.91M

HEIGHT STOWED

2.02M

MAX. HOR. OUTREACH

6.69M

WEIGHT

4,150KG

LIFT CAPACITY

230KG

MANUFACTURER

 **MANITOU**

WIDTH

1.80M



SCAN FOR FULL SPEC



APL GROUP

0800 085 3709
AERIALPLATFORMS.CO.UK

TO HIRE OR FOR MORE INFORMATION CALL


0800 085 3709

450AJ

ARTICULATED
DIESEL BOOM LIFT

3b

WORKING HEIGHT	15.72M	UP & OVER CLEARANCE	7.30M
PLATFORM HEIGHT	13.72M	HEIGHT STOWED	2.27M
MAX. HOR. OUTREACH	7.62M	WEIGHT	6,418KG
LIFT CAPACITY	250KG	MANUFACTURER	JLG
WIDTH	2.35M		



SCAN FOR FULL SPEC



0800 085 3709
AERIALPLATFORMS.CO.UK



TO HIRE OR FOR MORE INFORMATION CALL

0800 085 3709

BA16MRT2

ARTICULATED
DIESEL BOOM LIFT

3b

WORKING HEIGHT

16.27M

WIDTH

2.44M

PLATFORM HEIGHT

14.27M

HEIGHT STOWED

2.58M

MAX. HOR. OUTREACH

8.69M

WEIGHT


7,850KG

LIFT CAPACITY

320KG

MANUFACTURER

DINGLI



SCAN FOR FULL SPEC



0800 085 3709
AERIALPLATFORMS.CO.UK

TO HIRE OR FOR MORE INFORMATION CALL

0800 085 3709

SJ46AJ

ARTICULATED
DIESEL BOOM LIFT

3b

WORKING HEIGHT

15.93M

UP & OVER CLEARANCE

7.45M

PLATFORM HEIGHT

14.10M

HEIGHT STOWED

2.06M

MAX. HOR. OUTREACH

7.54M

WEIGHT

6,033KG

LIFT CAPACITY


227KG

MANUFACTURER

SKYJACK

WIDTH

2.29M



SCAN FOR FULL SPEC



0800 085 3709
AERIALPLATFORMS.CO.UK



TO HIRE OR FOR MORE INFORMATION CALL

0800 085 3709

160ATJ

ARTICULATED
DIESEL BOOM LIFT

3b

WORKING HEIGHT

16.01M

UP & OVER CLEARANCE

7.38M

PLATFORM HEIGHT

14.01M

HEIGHT STOWED

2.37M

MAX. HOR. OUTREACH

8.30M

WEIGHT

6,118KG

LIFT CAPACITY


230KG

MANUFACTURER

 **MANITOU**

WIDTH

2.32M



SCAN FOR FULL SPEC



0800 085 3709
AERIALPLATFORMS.CO.UK

TO HIRE OR FOR MORE INFORMATION CALL


0800 085 3709

160ATJ+

ARTICULATED
DIESEL BOOM LIFT

3b

WORKING HEIGHT	16.25M	UP & OVER CLEARANCE	7.00M
PLATFORM HEIGHT	14.25M	HEIGHT STOWED	2.37M
MAX. HOR. OUTREACH	8.95M	WEIGHT	8,100KG
LIFT CAPACITY	400KG	MANUFACTURER	 MANITOU
WIDTH	2.30M		



SCAN FOR FULL SPEC



0800 085 3709
AERIALPLATFORMS.CO.UK



TO HIRE OR FOR MORE INFORMATION CALL

0800 085 3709

200ATJ

ARTICULATED
DIESEL BOOM LIFT

3b

WORKING HEIGHT

20.00M

UP & OVER CLEARANCE

8.00M

PLATFORM HEIGHT

18.00M

HEIGHT STOWED

2.70M

MAX. HOR. OUTREACH

12.00M

WEIGHT

10,000KG

LIFT CAPACITY


230KG

MANUFACTURER

 **MANITOU**

WIDTH

2.40M



SCAN FOR FULL SPEC



0800 085 3709
AERIALPLATFORMS.CO.UK

TO HIRE OR FOR MORE INFORMATION CALL

0800 085 3709

600AJ

ARTICULATED
DIESEL BOOM LIFT

3b

WORKING HEIGHT

20.46M

UP & OVER CLEARANCE

8.09M

PLATFORM HEIGHT

18.46M

HEIGHT STOWED

2.57M

MAX. HOR. OUTREACH

12.10M

WEIGHT

10,660KG

LIFT CAPACITY


230KG

MANUFACTURER

JLG

WIDTH

2.49M



SCAN FOR FULL SPEC



To find the right machine for your project, visit our website and use our handy platform selector:

aerialplatforms.co.uk/selector/

TO HIRE OR FOR MORE INFORMATION CALL

0800 085 3709

SJ63AJ

ARTICULATED
DIESEL BOOM LIFT

3b

WORKING HEIGHT

21.21M

UP & OVER CLEARANCE

8.38M

PLATFORM HEIGHT

19.38M

HEIGHT STOWED

2.54M

MAX. HOR. OUTREACH

12.19M

WEIGHT

9,616KG

LIFT CAPACITY


227KG

MANUFACTURER

SKYJACK

WIDTH

2.44M



SCAN FOR FULL SPEC



APL GROUP

0800 085 3709
AERIALPLATFORMS.CO.UK

TO HIRE OR FOR MORE INFORMATION CALL

0800 085 3709

BA20MRT2

ARTICULATED
DIESEL BOOM LIFT

3b

WORKING HEIGHT

20.15M

UP & OVER CLEARANCE

8.18M

PLATFORM HEIGHT

18.15M

HEIGHT STOWED

2.59M

MAX. HOR. OUTREACH

11.13M

WEIGHT

8,450KG

LIFT CAPACITY


320KG

MANUFACTURER

DINGLI

WIDTH

2.44M



SCAN FOR FULL SPEC



0800 085 3709
AERIALPLATFORMS.CO.UK



TO HIRE OR FOR MORE INFORMATION CALL

0800 085 3709

HR21D

ARTICULATED
DIESEL BOOM LIFT

3b

WORKING HEIGHT

20.80M

UP & OVER CLEARANCE

7.0M

PLATFORM HEIGHT

18.80M

HEIGHT STOWED

2.18M

MAX. HOR. OUTREACH

13.00M

WEIGHT

6,680KG

LIFT CAPACITY


250KG

MANUFACTURER

niftylift

WIDTH

2.27M



SCAN FOR FULL SPEC



0800 085 3709
AERIALPLATFORMS.CO.UK

TO HIRE OR FOR MORE INFORMATION CALL

0800 085 3709

T22J

TELESCOPIC
DIESEL BOOM LIFT

3b

WORKING HEIGHT

23.80M

WIDTH

2.49M

PLATFORM HEIGHT

21.80M

HEIGHT STOWED

2.79M

MAX. HOR. OUTREACH

17.50M


WEIGHT

12,300KG

LIFT CAPACITY

300KG

MANUFACTURER



SCAN FOR FULL SPEC



0800 085 3709
AERIALPLATFORMS.CO.UK



TO HIRE OR FOR MORE INFORMATION CALL


0800 085 3709

800AJ

ARTICULATED
DIESEL BOOM LIFT

3b

WORKING HEIGHT	26.38M	WIDTH	2.49M
PLATFORM HEIGHT	24.38M	HEIGHT STOWED	3.00M
MAX. HOR. OUTREACH	15.80M	WEIGHT	16,110KG
LIFT CAPACITY	230KG	MANUFACTURER	JLG



SCAN FOR FULL SPEC



0800 085 3709
AERIALPLATFORMS.CO.UK

TO HIRE OR FOR MORE INFORMATION CALL

0800 085 3709

280TJ

TELESCOPIC
DIESEL BOOM LIFT

3b

WORKING HEIGHT

27.75M

WIDTH

2.43M

PLATFORM HEIGHT

25.75M

HEIGHT STOWED

2.75M

MAX. HOR. OUTREACH

21.45M

WEIGHT


16,500KG

LIFT CAPACITY

240KG

MANUFACTURER

 **MANITOU**



SCAN FOR FULL SPEC



0800 085 3709
AERIALPLATFORMS.CO.UK



TO HIRE OR FOR MORE INFORMATION CALL

0800 085 3709

SJ85AJ

ARTICULATED
DIESEL BOOM LIFT

3b

WORKING HEIGHT

27.74M

UP & OVER CLEARANCE

10.36M

PLATFORM HEIGHT

25.91M

HEIGHT STOWED

2.67M

MAX. HOR. OUTREACH

17.07M

WEIGHT

16,465KG

LIFT CAPACITY


227KG

MANUFACTURER

SKYJACK

WIDTH

2.49M



SCAN FOR FULL SPEC



APL GROUP

0800 085 3709
AERIALPLATFORMS.CO.UK

TO HIRE OR FOR MORE INFORMATION CALL


0800 085 3709

BA28RT

ARTICULATING
DIESEL BOOM LIFT

3b

WORKING HEIGHT	28.10M	WIDTH	2.50M
PLATFORM HEIGHT	26.10M	HEIGHT STOWED	2.89M
MAX. HOR. OUTREACH	18.80M	WEIGHT	18,300KG
LIFT CAPACITY	250KG	MANUFACTURER	DINGLI



SCAN FOR FULL SPEC



0800 085 3709
AERIALPLATFORMS.CO.UK



TO HIRE OR FOR MORE INFORMATION CALL


0800 085 3709

T26J

TELESCOPIC
DIESEL BOOM LIFT

3b

WORKING HEIGHT	27.90M	WIDTH	2.50M
PLATFORM HEIGHT	25.90M	HEIGHT STOWED	2.86M
MAX. HOR. OUTREACH	23.32M	WEIGHT	18,000KG
LIFT CAPACITY	250KG	MANUFACTURER	 LGGMG



SCAN FOR FULL SPEC



TO HIRE OR FOR MORE INFORMATION CALL

0800 085 3709

1250AJP

ARTICULATED
DIESEL BOOM LIFT

3b

WORKING HEIGHT

40.30M

UP & OVER CLEARANCE

3.81M

PLATFORM HEIGHT

38.30M

HEIGHT STOWED

2.49M

MAX. HOR. OUTREACH

19.25M

WEIGHT

21,000KG

LIFT CAPACITY


230KG

MANUFACTURER

JLG

WIDTH

3.05M



SCAN FOR FULL SPEC

APL GROUP

**SUPERBOOM
DIVISION**

**SUPER BOOM
HANDOVER REQUIRED**



0800 085 3709
AERIALPLATFORMS.CO.UK

APL GROUP

TO HIRE OR FOR MORE INFORMATION CALL

0800 085 3709

ZX135/70

ARTICULATED
DIESEL BOOM LIFT

3b

WORKING HEIGHT

43.15M

WIDTH AXLES EXT

3.94M

PLATFORM HEIGHT

41.15M

WIDTH AXLES RETRACT

2.49M

MAX. HOR. OUTREACH

21.26M

WEIGHT

21,092KG

LIFT CAPACITY


272KG

MANUFACTURER

Genie

HEIGHT STOWED

3.09M



SCAN FOR FULL SPEC

APL
GROUP

**SUPERBOOM
DIVISION**

**SUPER BOOM
HANDOVER REQUIRED**



APL
GROUP

0800 085 3709
AERIALPLATFORMS.CO.UK

TO HIRE OR FOR MORE INFORMATION CALL


0800 085 3709

BA44RT

ARTICULATED
DIESEL BOOM LIFT

3b

WORKING HEIGHT	44.06M	UP & OVER CLEARANCE	18.78M
PLATFORM HEIGHT	42.06M	HEIGHT STOWED	3.08M
MAX. HOR. OUTREACH	20.62M	WEIGHT	23,918KG
LIFT CAPACITY	272KG	MANUFACTURER	DINGLI



SCAN FOR FULL SPEC



**SUPERBOOM
DIVISION**

**SUPER BOOM
HANDOVER REQUIRED**



0800 085 3709
AERIALPLATFORMS.CO.UK



TO HIRE OR FOR MORE INFORMATION CALL

0800 085 3709

BT44RT

TELESCOPIC
DIESEL BOOM LIFT

3b

WORKING HEIGHT

44.44M

WIDTH STOWED

2.44M

PLATFORM HEIGHT

42.44M

HEIGHT STOWED

2.83M

MAX. HOR. OUTREACH

25.0M

WEIGHT


22,500KG

LIFT CAPACITY

300KG

MANUFACTURER

DINGLI



SCAN FOR FULL SPEC



**SUPERBOOM
DIVISION**

**SUPER BOOM
HANDOVER REQUIRED**



0800 085 3709
AERIALPLATFORMS.CO.UK

TO HIRE OR FOR MORE INFORMATION CALL

0800 085 3709

1500AJP

ARTICULATED
DIESEL BOOM LIFT

3b

WORKING HEIGHT

48.15M

WIDTH AXLES EXT

5.00M

PLATFORM HEIGHT

46.15M

WIDTH AXLES RETRACT

2.50M

MAX. HOR. OUTREACH

23.55M

WEIGHT

26,027KG

LIFT CAPACITY


270KG

MANUFACTURER

JLG

HEIGHT STOWED

3.10M



SCAN FOR FULL SPEC

APL GROUP

**SUPERBOOM
DIVISION**

**SUPER BOOM
HANDOVER REQUIRED**



0800 085 3709
AERIALPLATFORMS.CO.UK

APL GROUP

TO HIRE OR FOR MORE INFORMATION CALL

0800 085 3709

AB46J

ARTICULATED
DIESEL BOOM LIFT

3b

WORKING HEIGHT

48.60M

UP & OVER CLEARANCE

18.90M

PLATFORM HEIGHT

46.60M

WIDTH

2.49M

MAX. HOR. OUTREACH

25.50M

WEIGHT

27,300KG

LIFT CAPACITY


275KG

MANUFACTURER

SINOBOOM®

HEIGHT STOWED

3.20M



SCAN FOR FULL SPEC

APL GROUP

**SUPERBOOM
DIVISION**

**SUPER BOOM
HANDOVER REQUIRED**



APL GROUP


0800 085 3709
AERIALPLATFORMS.CO.UK

SIMPLE INTUITIVE FUEL MANAGEMENT



REGISTRATION

An APL team member chooses the machine fleet number from the list



FILL IN TANK

Tank is filled up to full capacity as outlined in operator's manual



RECEIPT

Once stopped, a receipt is recorded directly in the software - available upon request





06

BI-ENERGY BOOM LIFTS

BI-ENERGY BOOM LIFTS

Ideal for a wide range of applications from construction and maintenance to stock picking. These outstanding machines deliver time and time again. The new Nifty HR28 Hybrid all wheel drive is just one of our new generation of machines. Working Heights up to 44.44m.



ADVANTAGES

- ✓ IDEAL FOR INDOORS AND OUTDOORS
- ✓ WILL LIFT 2 PEOPLE PLUS TOOLS
- ✓ NARROW WIDTHS
- ✓ CLEAN, QUIET ENGINES, IDEAL FOR WORKING AT NIGHT

TO HIRE OR FOR MORE INFORMATION CALL


0800 085 3709

HR12L

ARTICULATED ELECTRIC
BOOM LIFT

3b

WORKING HEIGHT	12.10M	WIDTH	1.79M
PLATFORM HEIGHT	10.10M	HEIGHT STOWED	1.98M
MAX. HOR. OUTREACH	6.40M	WEIGHT	2,540KG
LIFT CAPACITY	200KG	MANUFACTURER	niftylift



FULLY
ELECTRIC!



SCAN FOR FULL SPEC



0800 085 3709
AERIALPLATFORMS.CO.UK

TO HIRE OR FOR MORE INFORMATION CALL


0800 085 3709

HR15N

ARTICULATED BI-ENERGY
BOOM LIFT

3b

WORKING HEIGHT	15.50M	WIDTH	1.50M
PLATFORM HEIGHT	13.50M	HEIGHT STOWED	1.99M
MAX. HOR. OUTREACH	9.70M	WEIGHT	7,250KG
CAGE ROTATION	180°	MANUFACTURER	niftylift
LIFT CAPACITY	225KG		



SCAN FOR FULL SPEC



0800 085 3709
AERIALPLATFORMS.CO.UK



TO HIRE OR FOR MORE INFORMATION CALL

0800 085 3709

HR17N

ARTICULATED BI-ENERGY
BOOM LIFT

3b

WORKING HEIGHT

17.00M

WIDTH

1.50M

PLATFORM HEIGHT

15.00M

HEIGHT STOWED

1.99M

MAX. HOR. OUTREACH

9.70M

WEIGHT

7,650KG

CAGE ROTATION


180°

MANUFACTURER

niftylift

LIFT CAPACITY

225KG



SCAN FOR FULL SPEC



Scan the QR code found on the side of our machines for an in-date copy of the LOLER certificate and safety documents!

TO HIRE OR FOR MORE INFORMATION CALL

0800 085 3709

HR21N

ARTICULATED BI-ENERGY
BOOM LIFT

3b

WORKING HEIGHT

20.80M

WIDTH

2.27M

PLATFORM HEIGHT

18.80M

HEIGHT STOWED

2.18M

MAX. HOR. OUTREACH

13.00M

WEIGHT

6,680KG

CAGE ROTATION


160°

MANUFACTURER

niftylift

LIFT CAPACITY

250KG



SCAN FOR FULL SPEC



0800 085 3709
AERIALPLATFORMS.CO.UK



TO HIRE OR FOR MORE INFORMATION CALL

0800 085 3709

HR28H

ARTICULATED BI-ENERGY
BOOM LIFT

3b

WORKING HEIGHT

28.00M

WIDTH

2.49M

PLATFORM HEIGHT

26.00M

HEIGHT STOWED

2.70M

MAX. HOR. OUTREACH

19.00M

WEIGHT

14,650KG

CAGE ROTATION


180°

MANUFACTURER

niftylift

LIFT CAPACITY

280KG



SCAN FOR FULL SPEC



0800 085 3709
AERIALPLATFORMS.CO.UK

TO HIRE OR FOR MORE INFORMATION CALL


0800 085 3709

BT44HRT

TELESCOPIC BI-ENERGY
BOOM LIFT

3b

WORKING HEIGHT	44.44M	WIDTH	4.17M
PLATFORM HEIGHT	42.44M	HEIGHT STOWED	2.83M
MAX. HOR. OUTREACH	25.60M	WEIGHT	23,000KG
LIFT CAPACITY	300KG	MANUFACTURER	niftylift



SCAN FOR FULL SPEC



**SUPERBOOM
DIVISION**

**SUPER BOOM
HANDOVER REQUIRED**



0800 085 3709
AERIALPLATFORMS.CO.UK



FANCY A BREW?



CONTACT YOUR
**APL BUSINESS
DEVELOPMENT MANAGER**
TO ARRANGE A MEETING, CALL US ON:

 **0800 085 3709**

STAY FUELLED ON SITE

910 LTR TRANS CUBES



THE PERFECT SOLUTION TO KEEPING
YOUR PROJECT **ON TRACK.**

**AVAILABLE TO HIRE
NATIONALLY!**

ASK ONE OF OUR HIRE DESK FOR MORE INFO WHEN
YOU ENQUIRE ABOUT ANY DIESEL MACHINE.

0800 085 3709
AERIALPLATFORMS.CO.UK



Aerial Platforms Ltd., Denebrook Court, Greenfold Way, Leigh WN7 3FZ



07

BI-ENERGY
SCISSOR
LIFTS

BI-ENERGY SCISSOR LIFTS

Our Bi-Energy scissor lifts deliver powerful performance and exceptional working height, reaching up to 37 metres for demanding high-access tasks. Combining the flexibility of hybrid power with the stability of a large platform, they are ideal for both indoor and outdoor projects where extra height and reliable performance are essential. You can request them at the point of hire.



ADVANTAGES

- ✓ IDEAL FOR LARGE CONSTRUCTION PROJECTS
- ✓ ACCOMMODATES MULTIPLE OPERATORS & TOOLS
- ✓ UP TO 37M WORKING HEIGHT
- ✓ SWITCH BETWEEN ELECTRIC AND DIESEL POWER

TO HIRE OR FOR MORE INFORMATION CALL


0800 085 3709

S2755BE

BI-ENERGY
SCISSOR LIFT

3a

WORKING HEIGHT	10.10M	WIDTH	1.45M
PLATFORM HEIGHT	8.10M	DECK EXTENSION	1.20M
HEIGHT STOWED	2.50M	WEIGHT	3,100KG
LIFT CAPACITY	300KG	MANUFACTURER	snorkel



SCAN FOR FULL SPEC

TO HIRE OR FOR MORE INFORMATION CALL


0800 085 3709

S3970BE

BI-ENERGY
SCISSOR LIFT

3a

WORKING HEIGHT	13.80M	WIDTH	1.80M
PLATFORM HEIGHT	11.80M	DECK EXTENSION	1.20M
HEIGHT STOWED	2.95M	WEIGHT	4,090KG
LIFT CAPACITY	350KG	MANUFACTURER	snorkel



SCAN FOR FULL SPEC

0800 085 3709
AERIALPLATFORMS.CO.UK





GET THE RIGHT MEWP FOR YOUR JOB!

1

CHOOSE YOUR
DIRECTION



2

CHOOSE YOUR
**WORKING
ENVIRONMENT &
WORKING HEIGHT**



3

CHOOSE YOUR
**SURFACE/
TERRAIN**

4

SEE YOUR
RECOMMENDATIONS



0800 085 3709
AERIALPLATFORMS.CO.UK

WORKING WEEKEND?

YOU MUST CONSIDER WEEKEND COVER!

As per the CPA Terms & Conditions, Hire Charges only apply from Monday to Friday, 8:00am-5:30pm, and exclude weekends. Therefore, weekend breakdown cover will not be available unless arranged in advance.

To stay protected for
Weekend Working,
you have

2 COVER
OPTIONS

1 ENGINEERING COVER

Add Engineering
Cover for
your weekend
operations.

OR

2 HIRE SECOND MACHINE

Hire an additional
machine to ensure
your project stays
on track.

*These options must be booked in a minimum of:

7 DAYS IN ADVANCE

PLAN AHEAD

Choose the
cover option that
works for you.





08

TELEHANDLERS

TELEHANDLERS


APL provide a wide range of Telehandlers, from Buggiscopic to a 20 m Telehandler. They have a high fleet specification including four wheel drive and tier IV low emission engines. With a huge range of payloads and lift heights these machines are designed to be manoeuvrable, versatile, powerful, durable and productive.



ADVANTAGES

- ✓ UP TO 20m LIFT HEIGHT
- ✓ UP TO 15.9m OUTREACH
- ✓ HIGH FLEET SPECIFICATION
- ✓ TIER IV LOW EMISSION ENGINES

FOR TELEHANDLER HIRE CALL:  0800 085 3709



TELEHANDLERS

	525-60	531-70	535-95	535-125	535-140	540-170	540-180	540-200
Working Height	6 m	7 m	9.5 m	12.07m	13.78 m	16.7 m	17.51 m	20 m
Lift Capacity (Full Height)	1,750 kg	2,400 kg	1,600 kg	1,150 kg	3,000 kg	2,500 kg	2,500 kg	1,500 kg
Lift Capacity (Full reach)	800 kg	1,250 kg	500 kg	1,350 kg	1,250 kg	600 kg	550 kg	200 kg
Max. Lift Capacity	2,500 kg	3,100 kg	3,500 kg	3,500 kg	4,000 kg	4,000 kg	4,000 kg	4,000 kg
Reach at Max. Lift Height	0.15 m	0.54 m	2.49 m	0.54 m	1.01 m	1.97 m	1.88 m	2.82 m
Max. Forward Reach	3.50 m	3.7 m	6.52 m	8.06 m	9.64 m	12.5m	13.34 m	15.9 m
Stabilisers	-	-	-	✓	✓	✓	✓	✓
Sway	-	-	-	✓	✓	✓	✓	✓
Manufacturer	JCB	JCB	JCB	JCB	JCB	JCB	JCB	JCB

TO HIRE OR FOR MORE INFORMATION CALL

0800 085 3709

525-60

TELEHANDLER

WORKING HEIGHT

6.00M

REACH AT MAX. LIFT CAP

0.15M

LIFT CAPACITY (MAX. HT.)

1,750KG

MAX. FORWARD REACH

3.50M

LIFT CAPACITY (MAX. REACH)


800KG

MANUFACTURER

JCB

MAX. LIFT CAPACITY

2,500KG



SCAN FOR FULL SPEC

0800 085 3709
AERIALPLATFORMS.CO.UK



TO HIRE OR FOR MORE INFORMATION CALL

0800 085 3709

531-70

TELEHANDLER

WORKING HEIGHT

7.00M

REACH AT MAX. LIFT CAP

0.54M

LIFT CAPACITY (MAX. HT.)

2,400KG

MAX. FORWARD REACH

3.70M

LIFT CAPACITY (MAX. REACH)


1,250KG

MANUFACTURER

JCB

MAX. LIFT CAPACITY

3,100KG



SCAN FOR FULL SPEC

TO HIRE OR FOR MORE INFORMATION CALL

0800 085 3709

535-95

TELEHANDLER

WORKING HEIGHT

9.50M

REACH AT MAX. LIFT CAP

2.49M

LIFT CAPACITY (MAX. HT.)

1,600KG

MAX. FORWARD REACH

6.52M

LIFT CAPACITY (MAX. REACH)


500KG

MANUFACTURER

JCB

MAX. LIFT CAPACITY

3,500KG



SCAN FOR FULL SPEC

0800 085 3709
AERIALPLATFORMS.CO.UK



TO HIRE OR FOR MORE INFORMATION CALL

0800 085 3709

535-125

TELEHANDLER

WORKING HEIGHT

12.07M

REACH AT MAX. LIFT CAP

0.54M

LIFT CAPACITY (MAX. HT.)

1,150KG

MAX. FORWARD REACH

8.06M

LIFT CAPACITY (MAX. REACH)


1,350KG

MANUFACTURER

JCB

MAX. LIFT CAPACITY

3,500KG



SCAN FOR FULL SPEC

TO HIRE OR FOR MORE INFORMATION CALL

0800 085 3709

540-140

TELEHANDLER

WORKING HEIGHT

13.78M

REACH AT MAX. LIFT CAP

1.01M

LIFT CAPACITY (MAX. HT.)

3,000KG

MAX. FORWARD REACH

9.64M

LIFT CAPACITY (MAX. REACH)


1,250KG

MANUFACTURER

JCB

MAX. LIFT CAPACITY

4,000KG



SCAN FOR FULL SPEC

0800 085 3709
AERIALPLATFORMS.CO.UK



TO HIRE OR FOR MORE INFORMATION CALL

0800 085 3709

540-170

TELEHANDLER

3b

WORKING HEIGHT

16.70M

REACH AT MAX. LIFT CAP

1.97M

LIFT CAPACITY (MAX. HT.)

2,500KG

MAX. FORWARD REACH

12.50M

LIFT CAPACITY (MAX. REACH)



600KG

MANUFACTURER

JCB

MAX. LIFT CAPACITY

4,000KG



SCAN FOR FULL SPEC

TO HIRE OR FOR MORE INFORMATION CALL

0800 085 3709

540-180

TELEHANDLER

3b

WORKING HEIGHT

17.51M

REACH AT MAX. LIFT CAP

1.88M

LIFT CAPACITY (MAX. HT.)

2,500KG

MAX. FORWARD REACH

13.34M

LIFT CAPACITY (MAX. REACH)


550KG

MANUFACTURER

JCB

MAX. LIFT CAPACITY

4,000KG



SCAN FOR FULL SPEC

0800 085 3709
AERIALPLATFORMS.CO.UK



TO HIRE OR FOR MORE INFORMATION CALL

0800 085 3709

540-200

TELEHANDLER

3b

WORKING HEIGHT

20.00M

REACH AT MAX. LIFT CAP

2.82M

LIFT CAPACITY (MAX. HT.)

1,500KG

MAX. FORWARD REACH

15.90M

LIFT CAPACITY (MAX. REACH)


200KG

MANUFACTURER

JCB

MAX. LIFT CAPACITY

4,000KG



SCAN FOR FULL SPEC

SAFETY FIRST



**DO NOT
ATTACH YOUR
HARNESSTO ANY
STRUCTURE
OUTSIDE THE
PLATFORM**



**ADVERSE
WEATHER
CAN ALTER
GROUND
CONDITIONS**



**MINIMUM
DISTANCE
FROM POWER
LINES
MOUNTED
ON POLES
IS 9 m**



**OVERLOADING
THE
PLATFORM IS
EXTREMELY
DANGEROUS**



**MINIMUM
SAFE
DISTANCE
FROM
MOUNTED
POWER LINES
IS 15 m**



**DO NOT USE
THE MACHINE
AS A JACK
OR PROP**



**BARRICADE
AND ISOLATE
THE
WORK AREA**




**DO NOT
SUSPEND
LOADS UNDER
THE
PLATFORM**

WEIGHTS & LOADS

TYPICAL WEIGHTS

The average 'big' man weighs:



EXAMPLE LIVE (IMPOSED) LOADS

<i>Self Contained Dwellings:</i>	1.50 kN/m²
<i>Bars & Public Areas:</i>	5.00 kN/m²
<i>Offices - General:</i>	2.50 kN/m²
<i>Filing Rooms:</i>	5.00 kN/m²
<i>Boiler Rooms:</i>	7.50 kN/m²
<i>Light Car Parking:</i>	2.50 kN/m²

SAFETY FIRST



BEAUFORT SCALE:

Always refer to the operators manual for the machine's maximum safe wind speed usage.

- | | |
|---|---|
| 0 | Calm (0-1mph) - Calm, smoke rises vertically. |
| 1 | Light air (1-3mph) - Direction of the wind shown by smoke. |
| 2 | Light breeze (4-7mph) - Wind felt on face; leaves rustle; ordinary vanes moved by wind. |
| 3 | Gentle breeze (8-12mph) - Leaves and small twigs in constant motion; wind extends light flag. |
| 4 | Moderate breeze (13-18mph) - Raises dust and loose paper; small branches are moved. |
| 5 | Fresh breeze (19-24mph) - Small trees in leaf begin to sway; crested wavelets form on inland waterways. |
| 6 | Strong breeze (25-31mph) - Large branches in motion; whistling heard in telephone wires; umbrellas used with difficulty. |
| 7 | Near gale (32-38mph) - Whole trees in motion; inconvenience felt when walking against wind. |
| 8 | Gale (39-46mph) - Breaks twigs off trees; generally impedes progress. |
| 9 | Strong gale (47-54mph) - Slight structural damage occurs (chimney pots and slates removed). |

WHEREVER YOUR PROJECT TAKES YOU. WE'LL BE THERE!



Group HQ

With a number of strategically placed depots across the UK paired with our extensive network of cross-hire suppliers, we're confident that no matter where your project takes you, we'll always be able to help.



APL HQ

Kabin Hire



0800 085 3709
AERIAL PLATFORMS.CO.UK



Aerial Platforms Ltd., Denebrook Court, Greenfold Way, Leigh WN7 3FZ



09

**OTHER
SERVICES**

OTHER SERVICES

Here at APL, in addition to Powered Access, we also offer a range of other services that prove popular with our customers.



Read on to find out more about the additional services we can offer:

- ✓ ACCOMMODATION & MODULAR
- ✓ FLUID FILTRATION
- ✓ FLUSHING & TESTING
- ✓ POWER & EQUIPMENT
- ✓ PRESSURE CONTROL
- ✓ SUBSEA SERVICES
- ✓ COLD ROOM STORAGE



ACCOMMODATION & MODULAR



Centurion provides accommodation and modular rentals and sales around the world. We specialize in the provision of safety-driven and certified temporary buildings, chemical tanks and CCUs, and deliver facilities and asset management services – including maintaining, servicing and recertifying buildings, tanks and CCUs – for our customers in multiple end markets.

**FOR MORE INFO, CALL US TODAY ON:
FREEPHONE: 0800 085 3709**



 PART OF THE CENTURION GROUP



FLUID FILTRATION



We deliver innovative fluid filtration solutions to our customers in the global energy, renewables and geothermal sectors. Centurion Fluid Filtration designs, builds and delivers bespoke filtration solutions and rental packages tailored to our customers' exact needs that put efficiency at the forefront.

**FOR MORE INFO, CALL US TODAY ON:
FREEPHONE: 0800 085 3709**



 PART OF THE CENTURION GROUP



FLUSHING & TESTING



Centurion Flushing & Testing provides specialist fluid power solutions for our customers in the global energy sectors. We recognize our customers' need for expert advice to help them get the job done right, safely, on time and on budget.

**FOR MORE INFO, CALL US TODAY ON:
FREEPHONE: 0800 085 3709**



 PART OF THE CENTURION GROUP



POWER & EQUIPMENT



We deliver best-in-class, results-driven temporary power, air, steam and rental equipment solutions for our customers globally across a number of industry sectors. With a comprehensive range of efficiency-driven products to support and power our customers' operations, Centurion Power & Equipment's assets and expertise play a fundamental and essential part in any successful project.

**FOR MORE INFO, CALL US TODAY ON:
FREEPHONE: 0800 085 3709**



 PART OF THE CENTURION GROUP



PRESSURE CONTROL



Centurion Pressure Control offers safe and innovative pressure control and well support solutions for our customers in the global energy industry. We deliver excellence by using the industry's best people to deliver the highest standards of safety, quality and personalized customer service.

**FOR MORE INFO, CALL US TODAY ON:
FREEPHONE: 0800 085 3709**



 PART OF THE CENTURION GROUP



SUBSEA SERVICES



As an industry-leading provider of ROV systems, back of deck equipment, ROV tooling and engineering services, Centurion Subsea Services serves customers in the global renewables, decommissioning, energy, subsea construction, defence and telecoms industries with modern, efficiency driven, project enabling subsea technology.

**FOR MORE INFO, CALL US TODAY ON:
FREEPHONE: 0800 085 3709**



 PART OF THE CENTURION GROUP

COLD ROOM STORAGE

SUPPLIED BY



Cold room storage in powered access is when machines are operating in refrigerated or freezer environments below zero. To ensure reliable performance, they are fitted with a cold store specification package, including low-temperature oils, upgraded lithium batteries, 5 kVA transformers and 32 amp leads and that the machines are rotated on a regular basis to ensure working in this environment maintains efficiency in these extreme conditions.

We're excited to introduce our cold storage offering at Aerial Platforms, expanding our capabilities to support customers working in refrigerated and sub-zero environments.

**FOR MORE INFO, CALL US TODAY ON:
FREEPHONE: 0800 085 3709**

IS YOUR MACHINE LEGAL?

If you own any type of elevated work platform from push around verticals to articulating booms then they require a LOLER examination every six months as per the Health and Safety at work act of 1974.



WHY CHOOSE US TO LOLER YOUR MACHINE?

- ✓ All of our engineers are fully CAP certified by IPAF
- ✓ We have a fleet of our own, fully equipped service vans, and offer national coverage.
- ✓ We're flexible and can come to you at a time that suits you.
- ✓ All certificates and documents for LOLER are provided.

TO FIND OUT MORE PLEASE CALL FREEPHONE:

0800 085 3709





10

ACCESSORIES

DIESEL SCISSOR LIFTS

APL provides a full range of additional products to aid the safe and efficient use of any powered access equipment. All the items detailed within this section are kept in stock and can either be provided with your machine or separately.

Please ask one of our hire desk controllers for delivery costs, as they vary upon location and order size.



CALL FREEPHONE: 📞 **0800 085 3709** FOR MORE DETAILS



FOR MORE INFORMATION VISIT – [AERIALPLATFORMS.CO.UK](https://www.aerialplatforms.co.uk)



2 POINT SAFETY HARNESS WITH ADJUSTABLE LANYARD & BAG

IPAF Approved Lightweight full body work restraint, 2 point fail arrest harness. Adjustable at leg loops, shoulders and chest with new quick release style buckles. The adjustable rope lanyard adjusts from 1 metre to 1.5 metres including fittings. Each harness and lanyard are individually serial numbered for traceability and manufactured to CE EN361 & EN358 standards. The kit comes contained in a APL lightweight shoulder bag.



CHARGING LEAD

110V, 16 amp, ideal for charging battery and bi-energy booms and scissor lifts.

APL can also supply 32 amp 110V charging leads suitable for certain larger machines.



SET OF 4 TYRE COVERS

When using rough terrain, diesel driven machinery on sensitive floor surfaces, tyre covers can prevent marks being caused from the black rubber tyres. APL can provide almost all sizes to fit all MEWPs.

DRIP TRAY (NAPPY)



There is a risk of any hydraulically operated machinery leaking oil from time to time, no matter how well maintained. Therefore if any such leak could cause damage to floor surfaces then the fitting of a drip tray can reduce this risk of contamination. The heavy duty polythene sheet is attached to the underside of the platform and is designed to catch the majority of any spill.



ARE YOU PAINTING?

Avoid costly charges, cover up!

GROUND GUARDS



Ground guards are used to protect surfaces, prevent ground damage, and provide a stable surface for machinery and vehicles to operate safely on soft or sensitive ground.

TRANSFORMER



240V to 110V - 5.5 kVA Transformer. All machines are provided complete with a 110V plug for site regulations. These transformers allows you to convert your mains 240V to the correct voltage to charge your access product. This item comes complete with 2 x 16 amp sockets and will easily charge 2 x small battery scissor lifts at the same time.



KEYPADS

To prevent unauthorised use of equipment on site, keypads can be fitted to the machine to restrict access to specific personnel and offer great peace of mind for Site and Health & Safety Managers.



TRACKUNIT IPAF CARD READER

To further strengthen security and promote a safe worksite, RFID card readers can be added to the machine which link up to IPAF's Operator Database and only grant access to those with the correct PAL license.



TELESCOPIC JIB AND HOOKS

Designed to mount directly to the Telehandler, these provide a safe and convenient solution to handling awkward loads. Offering a payload of 1,000 kg - 4,000 kg and a max extended length of 1,320 mm, these prove to be a very popular add-on to our Telehandlers.



FORK EXTENSIONS

Our fork extensions provide a perfect low-cost solution when additional reach is required and simply slide over the top of your existing forks to extend the reach.

PIPE RACKS

Mounted to the main platform of the machine, the weight of the pipes are channelled through the base of the rack to achieve a high capacity rated load. Durable nylon straps keep the load secure and neoprene strips prevent material damage and limits vibration.

Can be fitted to both Scissor Lifts and Boom Lifts.
£POR



DINGLI PIPE RACKS (DNGPR-**)

- > SWL 45 kg.
- > Suited for small Dingli scissor lifts.
- > Must have x4 U-bolts for mounting to handrails.
- > 12 month LOLER required.



DINGLI PIPE RACK (MHS-12-**)

- > SWL 200 kg - 300 kg (machine depending).
- > Adjustable to handrail height.
- > Must be complete with 1 strap 4 release pins per rack.
- > 12 month LOLER required.



DINGLI PIPE RACK/TRESTLE (MHS-23-**)

- > Suited for large diesel scissors
- > SWL 300 kg - 395 kg.
- > Max 395 kg on 2223B & DC.
- > Adjustable legs.
- > Removable flat for variation on shaped supplies.
- > 12 month LOLER required.



SKYJACK SCISSOR PIPE RACK (SJ-SC-**)

- > SWL 23 kg SJ3215-SJ3226.
- > SWL 45 kg - 90 kg SJ4620-SJ4632.
- > Fitted and mounted directly to front and rear of the handrails.
- > Each pipe rack has x1 securing strap to secure load.
- > 12 month LOLER required.



SKYJACK BOOM PIPE RACK (SJ-BM-**)

- > Skyjack Boom Pipe Rack (SJ-BM-**).
- > SWL 107 kg.
- > Fits all Skyjack Booms in fleet.
- > Maximum allowable pipe length is 7m x 10cm diameter.
- > 12 month LOLER required.



GENIE BOOM PIPE RACK (GE-BM-**)

- > Suited to fit from Z-45 to ZX-135.
- > SWL 200 lbs (90.7 kg).
- > x2 brackets fixed to cage frame with U-bolts and x1.
- > Adjustable strap per side.
- > Genie part number - 85300GT.
- > 12 month LOLER required.



GENIE SCISSOR PIPE RACK (GE-SC-**)

- > SWL 91 kg - 181 kg.
- > Suited diesel scissors.
- > Comes with two mounting brackets per rack.
- > Genie part number - 131627GT.
- > SWL decal part number - 72976.
- > 12 month LOLER required.



11

SECONDARY GUARDING DEVICE

SECONDARY GUARDING DEVICE

We have embraced our customers' safety first and foremost by acquiring new safety equipment available on the market, which is widely used across the industry. APL has added a full range of secondary guarding devices to our rapidly growing fleet of Boom Lifts, enabling us to put our customers' needs first and offer the excellent service they expect.





SKYGUARD™

ENHANCED CONTROL PANEL PROTECTION

Skyguard™ is an innovation from JLG that provides operators with enhanced control panel protection that doesn't limit platform workspace or visibility. When the sensor is activated Skyguard™ stops all functions in use at the time of activation and its unique reverse functionality (the first feature of it's kind in the market) temporarily reverses most functions for a short period of time. Skyguard™ comes standard on all JLG boom lifts.

Advantages:

- ✓ Skyguard™ can be activated from a variety of angles.
- ✓ No moveable parts means no need for maintenance.
- ✓ Break away feature for extreme conditions.
- ✓ Does not increase the platform profile or limit the use of the platform.



Operator moves towards obstruction.



Horn sounds upon operator contact with bar.



The auto reverse feature activates for most functions.

DISTANCE

CONVERSION CHART

Metric to Imperial (m x 3.281 = ft)

m	ft	m	ft	m	ft	m	ft
6.0	- 19' 8"	23.0	- 75' 6"	40.0	- 131' 3"	57.0	- 187' 0"
6.5	- 21' 4"	23.5	- 77' 1"	40.5	- 132' 10"	57.5	- 188' 8"
7.0	- 23' 0"	24.0	- 78' 9"	41.0	- 134' 6"	58.0	- 190' 3"
7.5	- 24' 7"	24.5	- 80' 4"	41.5	- 136' 2"	58.5	- 191' 11"
8.0	- 26' 4"	25.0	- 82' 0"	42.0	- 137' 10"	59.0	- 193' 7"
8.5	- 27' 11"	25.5	- 83' 7"	42.5	- 139' 6"	59.5	- 195' 2"
9.0	- 29' 4"	26.0	- 85' 3"	43.0	- 141' 1"	60.0	- 196' 9"
9.5	- 31' 2"	26.5	- 86' 11"	43.5	- 142' 9"	60.5	- 198' 6"
10.0	- 32' 10"	27.0	- 88' 7"	44.0	- 144' 5"	61.0	- 200' 1"
10.5	- 34' 6"	27.5	- 90' 3"	44.5	- 146' 0"	61.5	- 201' 9"
11.0	- 36' 1"	28.0	- 91' 9"	45.0	- 147' 7"	62.0	- 203' 5"
11.5	- 37' 10"	28.5	- 93' 6"	45.5	- 149' 3"	62.5	- 205' 0"
12.0	- 39' 5"	29.0	- 95' 1"	46.0	- 150' 11"	63.0	- 206' 8"
12.5	- 41' 0"	29.5	- 96' 9"	46.5	- 152' 7"	63.5	- 208' 3"
13.0	- 42' 8"	30.0	- 98' 4"	47.0	- 154' 3"	64.0	- 209' 11"
13.5	- 44' 3"	30.5	- 100' 1"	47.5	- 155' 10"	64.5	- 211' 8"
14.0	- 45' 11"	31.0	- 101' 10"	48.0	- 157' 6"	65.0	- 213' 3"
14.5	- 47' 7"	31.5	- 103' 5"	48.5	- 159' 1"	65.5	- 214' 11"
15.0	- 49' 2"	32.0	- 105' 0"	49.0	- 160' 9"	66.0	- 216' 6"
15.5	- 50' 10"	32.5	- 106' 8"	49.5	- 162' 5"	66.5	- 218' 3"
16.0	- 52' 6"	33.0	- 108' 3"	50.0	- 164' 1"	67.0	- 219' 10"
16.5	- 54' 1"	33.5	- 109' 11"	50.5	- 165' 9"	67.5	- 212' 6"
17.0	- 55' 9"	34.0	- 111' 7"	51.0	- 167' 4"	68.0	- 223' 1"
17.5	- 57' 5"	34.5	- 113' 2"	51.5	- 168' 11"	68.5	- 224' 9"
18.0	- 59' 1"	35.0	- 114' 10"	52.0	- 170' 7"	69.0	- 226' 4"
18.5	- 60' 8"	35.5	- 116' 6"	52.5	- 172' 3"	69.5	- 228' 0"
19.0	- 62' 3"	36.0	- 118' 1"	53.0	- 173' 10"	70.0	- 229' 8"
19.5	- 63' 11"	36.5	- 119' 9"	53.5	- 175' 6"	70.5	- 231' 4"
20.0	- 65' 7"	37.0	- 121' 5"	54.0	- 177' 2"	71.0	- 232' 11"
20.5	- 67' 3"	37.5	- 123' 0"	54.5	- 178' 10"	71.5	- 234' 7"
21.0	- 68' 11"	38.0	- 124' 8"	55.0	- 180' 6"	72.0	- 236' 2"
21.5	- 70' 7"	38.5	- 126' 4"	55.5	- 182' 1"	72.5	- 237' 5"
22.0	- 72' 2"	39.0	- 127' 11"	56.0	- 183' 9"	73.0	- 239' 6"
22.5	- 73' 9"	39.5	- 129' 7"	56.5	- 185' 4"	73.5	- 241' 1"

DISTANCE CONVERSION CHART

Imperial to Metric (ft x 0.3048 = m)

ft	m	ft	m
15	- 4.57	150	- 45.72
20	- 6.10	155	- 47.24
25	- 7.62	160	- 48.77
30	- 9.14	165	- 50.29
35	- 10.67	170	- 51.82
40	- 12.19	175	- 53.34
45	- 13.72	180	- 54.86
50	- 15.24	185	- 56.39
55	- 16.76	190	- 57.91
60	- 18.29	195	- 59.44
65	- 19.81	200	- 60.96
70	- 21.34	205	- 62.48
75	- 22.86	210	- 64.01
80	- 24.38	215	- 65.53
85	- 25.91	220	- 67.06
90	- 27.43	225	- 68.58
95	- 28.96	230	- 70.10
100	- 30.48	235	- 71.63
105	- 32.00	240	- 73.15
110	- 33.53	245	- 74.68
115	- 35.05	250	- 76.20
120	- 36.58	255	- 77.72
125	- 38.10	260	- 79.24
130	- 39.62	265	- 80.77
135	- 41.15	270	- 82.30
140	- 42.67	275	- 83.82
145	- 44.20	280	- 85.34



CARRY OUT YOUR
OWN SITE SURVEYS

ASK YOUR ACCOUNT
MANAGER HOW!

Metric to Imperial (kg x 2.204 = lbs)

0800 085 3709
AERIALPLATFORMS.CO.UK



WEIGHT CONVERSION CHART

Imperial to Metric (lbs x 0.4536 = kg)

lbs	kg
-----	----

1,000	-	453
2,000	-	907
3,000	-	1,360
4,000	-	1,814
5,000	-	2,267
6,000	-	2,721
7,000	-	3,175
8,000	-	3,628
9,000	-	4,082
10,000	-	4,535
11,000	-	4,989
12,000	-	5,443
13,000	-	5,896
14,000	-	6,350
15,000	-	6,803
16,000	-	7,257
17,000	-	7,711
18,000	-	8,164
19,000	-	8,618
20,000	-	9,071
21,000	-	9,525
22,000	-	9,979
23,000	-	10,432
24,000	-	10,886
25,000	-	11,339
26,000	-	11,793
27,000	-	12,246
28,000	-	12,700
29,000	-	13,154
30,000	-	13,607
31,000	-	14,061
32,000	-	14,514
33,000	-	14,968
34,000	-	15,422

lbs	kg
-----	----

35,000	-	15,875
36,000	-	16,329
37,000	-	16,782
38,000	-	17,236
39,000	-	17,690
40,000	-	18,143
41,000	-	18,597
42,000	-	19,050
43,000	-	19,504
44,000	-	19,958
45,000	-	20,411
46,000	-	20,865
47,000	-	21,318
48,000	-	21,772
49,000	-	22,226
50,000	-	22,679
51,000	-	23,133
52,000	-	23,586
53,000	-	24,040
54,000	-	24,493
55,000	-	24,947
56,000	-	25,401
57,000	-	25,854
58,000	-	26,308
59,000	-	26,761
60,000	-	27,215
61,000	-	27,669
62,000	-	28,122
63,000	-	28,576
64,000	-	29,029
65,000	-	29,483
66,000	-	29,937
67,000	-	30,390
68,000	-	30,844

lbs	kg
-----	----

69,000	-	31,297
70,000	-	31,751
71,000	-	32,205
72,000	-	32,658
73,000	-	33,112
74,000	-	33,565
75,000	-	34,019
76,000	-	34,472
77,000	-	34,926
78,000	-	35,380
79,000	-	35,833
80,000	-	36,287
81,000	-	36,740
82,000	-	37,194
83,000	-	37,648
84,000	-	38,101
85,000	-	38,555
86,000	-	39,008
87,000	-	39,462
88,000	-	39,916
89,000	-	40,369
90,000	-	40,823
91,000	-	41,276
92,000	-	41,730
93,000	-	42,184
94,000	-	42,637
95,000	-	43,091
96,000	-	43,544
97,000	-	43,998
98,000	-	44,452
99,000	-	44,905
100,000	-	45,359
101,000	-	45,812
102,000	-	46,266

POWERED ACCESS MEASUREMENT GUIDE

- ➊ RIGHT MACHINE
- ➋ RIGHT HEIGHT
- ➌ RIGHT RESULTS

STEP 1 KNOW YOUR WORKING HEIGHT

Always allow extra height above platform level.



PAV LIFTS



BOOM LIFTS




SCISSOR LIFTS



SUPERFLEET

STEP 2 MATCH THE MACHINE TO THE TASK



PAV
SMALL JOBS

Best for:

- Warehouses/retail
- Indoor installations
- Narrow aisles
- Low-level work

WORKING HEIGHT RANGE
4'-6'

Why Choose it:
Compact, lightweight,
fits where larger
machines won't.



COMPACT
& NARROW



BOOM LIFTS
REACH & FLEXIBILITY

Best for:

- Window cleaning
- External building work
- Reaching over obstacles
- Construction sites

WORKING HEIGHT RANGE
5'-60"

Why Choose it:
Outreach and articulation
allow access where scissor
lifts can't reach.



OUTREACH &
ARTICULATION



SCISSOR LIFTS
VERTICAL ACCESS

Best for:

- Warehouses
- Industrial maintenance
- Indoor installations
- Window cleaning

WORKING HEIGHT RANGE
5'-37"

Why Choose it:
Straight vertical lift, large
platform, ideal for multiple
operatives and materials.



VERTICAL
LIFT



SUPERFLEET
MAX. HEIGHT & REACH

Best for:

- High-rise projects
- Infrastructure work
- Complex access
- Reaching over obstacles

WORKING HEIGHT RANGE
22'-60"

Why Choose it:
Extreme height and outreach
for demanding jobs.



MAXIMUM
HEIGHT &
OUTREACH

STEP 3 CHECK YOUR ENVIRONMENT



INDOOR?
Electric machines
(clean & quiet)



OUTDOOR?
Diesel or Hybrid
(more power)



GROUND CONDITIONS?
Rough terrain may require
specialist machines.



ACCESS WIDTH?
Measure doorways,
aisles & restrictions.

NEED HELP CHOOSING? AERIAL PLATFORMS - POWERED ACCESS DONE RIGHT



EXPERT ADVICE
FROM OUR TEAM



OVER 1,000
MACHINES
AVAILABLE



NATIONWIDE
COVERAGE



0800 085 3709
AERIALPLATFORMS.CO.UK
info@aerialplatforms.co.uk



Our recommendations are a guide only - the right machine will always depend on your specific job, site condition and requirements.

REACHING GREATER HEIGHTS



Right machine.
Right height.
Right Results.



0800 085 3709
AERIALPLATFORMS.CO.UK

0800 085 3709
AERIALPLATFORMS.CO.UK



Celebrating Over 20 Years
of Quality Service



ISO ACCREDITED COMPANY

© COPYRIGHT 2026



 PART OF THE CENTURION GROUP